



HSAC Recommended Practice (RP) 2019-1 Initial Issue

Offshore Helicopter Incident Bowtie

22 March 2019

Recommended Practices (RP) are published under the direction of the Helicopter Safety Advisory Conference (HSAC). RP's are a medium for discussion of aviation operational safety pertinent to the transmission of product, energy exploration and production industry in the United States. RP's are not intended to replace individual engineering or corporate judgment or to replace instruction in company manuals or government regulations. Suggestions for subject matter are cordially invited.

INTENTIONALLY LEFT BLANK

Table of Contents

Table of Contents	3
Table of Figures	4
1. The Bow-Tie Methodology and Structure	5
1.1. General.....	5
1.1.1. Hazard.....	5
1.1.2. Top Event.....	5
1.1.3. Threat.....	5
1.1.4. Consequence	5
1.1.5. Control/Barrier	6
1.1.6. Escalation Factor	6
1.1.7. ALARP.....	6
2. Managing Risk	9
2.1. General.....	9
2.2. Facility Safety Management System and HSE/Safety Case	9
2.3. Controls and Recovery Measures.....	9
2.4. Manual of Permitted Operations	9
2.5. Safety Critical Equipment.....	10
2.6. Safety Critical Roles.....	10
2.7. Normally Unattended Installations (NUIs)	10
3. Offshore Helicopter Incident Bow-Tie	11
3.1. Threats	13
3.1.1. Emergency/Unannounced Helicopter Arrival	13
3.1.2. Unexpected movement of helicopter on helideck	20
3.1.3.....	24
3.1.4. Crane Operations Interfering with Helicopter Operations	24
3.1.5. Obstacles Around Helicopter Approach Path	27
3.1.6. Exhaust Plumes and Gas Releases	29
3.1.7. Platform/Vessel/Equipment/Structures generated Turbulence at Helideck	34
3.1.8. Helicopter Size/Weight exceeds Helideck Design/Capability	36
3.1.9. Helideck Structural Integrity Compromised.....	38
3.1.10. Inadequate Helideck Lighting/Markings	39
3.1.11. Refueling with Contaminated Fuel	41
3.1.12. Foreign Object Debris (FOD) enters Helicopter Engine/Downwash blows Items Away	46
3.1.13. Helicopter Weight Exceeds Max Take-Off Weight.....	49
3.1.14. Unknown/Not Allowed Dangerous Goods/Hazardous Materials loaded onto helicopter	51
3.1.15. Disruptive or Non-Compliant Passenger Behavior	53
3.1.16. Landing in Adverse Weather Conditions.....	54
3.2. Consequences	61

3.2.1. Helicopter Ditching in vicinity of Platform/Vessel	61
3.2.2. Helicopter Crashes on Helideck or Into Platform/Vessel Structure /w Fire/Loss Of Life	66
3.2.3. Personnel Struck by Rotor Blades or Debris From Heavy Impact Landing	74
3.2.4. Helicopter Fire or Aviation Refueling Fire on Helideck	76

Table of Figures

Figure 1: Hazard	5
Figure 2: Top Event.....	5
Figure 3: Threat.....	5
Figure 4: Consequence.....	5
Figure 5: Control	6
Figure 6: Escalation	6
Figure 7: Example Generic Bow-Tie Diagram	7
Figure 8: Example Practical Bow-Tie Diagram - Spill of Hot Drink in Meeting Room.....	8
Figure 9: Offshore Helicopter Incident Bow-Tie.....	12
Figure 10: Threat - Emergency/Unannounced Helicopter Arrival	13
Figure 11: Threat - Unexpected movement of helicopter on helideck	20
Figure 12: Threat - Crane Operations Interfering with Helicopter Operations	24
Figure 13: Threat - Obstacles Around Helicopter Approach Path	27
Figure 14: Threat - Exhaust Plumes and Gas Releases	29
Figure 15: Threat - Platform/Vessel/Equipment/Structures generated Turbulence at Helideck.....	34
Figure 16: Threat - Helicopter Size/Weight exceeds Helideck Design/Capability	36
Figure 17: Threat - Helideck Structural Integrity Compromised.....	38
Figure 18: Threat - Inadequate Helideck Lighting/Markings	39
Figure 19: Threat - Refueling with Contaminated Fuel	41
Figure 20: Threat - Foreign Object Debris (FOD) enters Helicopter Engine/Downwash blows Items Away	46
Figure 21: Threat - Helicopter Weight Exceeds Max Take-Off Weight.....	49
Figure 22: Threat - Unknown/Not Allowed Dangerous Goods/Hazardous Materials loaded onto helicopter.....	51
Figure 23: Threat - Disruptive or Non-Compliant Passenger Behavior	53
Figure 24: Threat - Landing in Adverse Weather Conditions.....	54
Figure 25: Consequence - Helicopter Ditching in vicinity of Platform/Vessel	61
Figure 26: Consequence - Helicopter Crashes on Helideck or Into Platform/Vessel Structure /w Fire/Loss Of Life ..	66
Figure 27: Consequence - Personnel Struck by Rotor Blades or Debris From Heavy Impact Landing	74
Figure 28: Consequence - Helicopter Fire or Aviation Refueling Fire on Helideck	76

1. The Bow-Tie Methodology and Structure

The Bow-Tie methodology is used for risk assessment, risk management, and most importantly risk communication. The method is designed to give a better overview of any situation in which risks are present; to help people understand the relationship between the risks of known hazards and organizational processes and procedures. The strength of the methodology lies in its simplicity.

1.1. General

Risk in Bow-Tie methodology demonstrates the relationship between Hazards, Top Events, Threats and Consequences. Controls are used to display what measures an organization has in place to control the identified hazard. Below is an explanation of symbols, terms and definitions used in the Helideck Incident Bow-Tie that was used as a basis for the Risk Analysis and Hazard Effects Management Process for Offshore Helideck Operations.

1.1.1. Hazard



Figure 1: Hazard

When we refer to hazards in relation to safety and health the most commonly used definition is 'A Hazard is a potential source of harm or adverse effect on (a) person(s) or (an) asset(s) or reduction of ability to perform a prescribed function'. Hazards can be present in the environment in which one must operate. For example, in the aviation industry, 'operating helicopters in adverse weather conditions' is considered a hazard. It needs to be managed because as long as it is under control, the release of the hazard resulting in adverse affect can be prevented or the risk is reduced to acceptable levels, and operations can continue safely.

1.1.2. Top Event




Figure 2: Top Event

As long as a hazard is controlled, it is in its desired state. For example, an aircraft free of discrepancies is in an airworthy state, but certain events can cause an unairworthy aircraft (hazard) to be released unintentionally. In the Bow-Tie methodology, such an event is called a Top Event. The Top Event is not yet catastrophic, but the dangerous characteristics of the Hazard are now in the open. For example, the unairworthy aircraft is now engaged in flight operations, which if not mitigated effectively, may result in more unwanted events (consequences). An aviation example of a Top Event is: 'aircraft unintentionally deviates from normal in-flight parameters (aircraft upset)'

1.1.3. Threat



Figure 3: Threat

For each top event, there must be a direct cause that could cause the release of the Hazard. In the Bow-Tie methodology, such direct causes are referred to as "Threats." A threat is a possible direct cause that will potentially release the Hazard by producing a Top Event. For example, VFR flight operations within close proximity to adverse weather is a "Threat" to the Top Event 'Flight into Inadvertent Instrument Meteorological Conditions (IIMC)'. Each threat identified should have the ability to cause the "Top Event."

1.1.4. Consequence



Figure 4: Consequence

When a Top Event has occurred it can lead to certain consequences. A consequence is a potential event resulting from the release of the hazard which results directly in injury, loss or damage. Consequences in the Bow-Tie method are unwanted events that an organization wants to avoid. For example, aircraft accidents, significant aircraft incidents, injuries or casualties are all events that should be avoided. A more specific aviation example for a 'Consequence' is 'Mid-Air collision resulting in multiple fatalities'.

1.1.5. Control/Barrier




Figure 5: Control

Risk management is about minimizing the likelihood of the hazard occurring and minimizing the impact of such occurrence, resulting in a lower risk level. This is done by placing barriers to prevent, or reducing the likelihood, of occurrence of certain events. A Control or Barrier can be any measure taken against risk or hazards in order to maintain a desired safe state. In the Bow-Tie method, there are proactive Cause Controls (on the left side of the Top Event) that prevent the Top Event from happening and reactive Outcome Controls (on the right side of the Top Event) that prevent the Top Event resulting into unwanted consequences, minimize the impact of the consequences or improves recovery from the Top Event.

1.1.6. Escalation Factor





Figure 6: Escalation

In an ideal situation, Controls will stop Threats from causing the Top Event. However, many Controls are not 100 percent effective. There are conditions that may cause a Control to fail (ineffective) or become less effective. In the Bow-Tie method, these are called Escalation Factors. An Escalation Factor is a condition that leads to increased risk by defeating or reducing the effectiveness of a control. For example, the development and implementation of inadequate procedures, a failure to follow established procedures, poorly maintained equipment, etc. To prevent an Escalation Factor to degrade the associated Control additional Escalation Controls can be added between the escalation factor and the control it might affect (see Control/Barrier paragraph above).

1.1.7. ALARP

To be completely sure that there is no risk present, the hazard must be completely removed. However, since hazards are part of normal business, this is not always possible. Always expect that there are risks and try to do everything possible to keep the risks As Low As Reasonably Practicable (ALARP). For a risk to be ALARP, it should be demonstrated that the cost involved in monetary or operational terms in reducing the risk further would be grossly disproportionate to the benefit gained. What ALARP means is different for every organization as it depends on what risks an organization does or does not want to take and what an organization wants to spend monetarily, operationally or in time control measures.











	Hazard: What are the hazards in the environment we operate in?		Consequence: What unwanted outcomes can arise from the top event?		Escalation (defeating) Factor: In what way could the control fail?
	Top Event: What occurs when the control over the hazard is lost and the hazard is released?		Cause Control/Barrier (left side of Top Event): How can we stop the hazard from being released?		Escalation Control/Barrier: How do we maintain the control so it doesn't fail?
	Threat: What can directly cause a loss of control of the hazard?		Outcome Control/Barrier (right side of Top Event): How can we reduce the severity (or likelihood) of the potential outcome?		

Figure 7: Example Generic Bow-Tie Diagram




Figure 8: Example Practical Bow-Tie Diagram - Spill of Hot Drink in Meeting Room

2. Managing Risk

2.1. General

With the basic knowledge of the Bow-Tie methodology, this Recommended Practice focuses on the application of the Bow-Tie methodology to offshore helicopter operations. The key stakeholders in offshore helicopter operations are the Offshore Facility owners and the Air Operators operating to those facilities. The majority of helideck design and helideck management related controls will be applicable to facility owners; however some might reside with air operators. The following paragraphs address the area of responsibility for offshore facility owners.

2.2. Facility Safety Management System and HSE/Safety Case

The facility Safety Management System (SMS) and HSE/Safety Case should address all aspects of helicopter operations on offshore installations, Mobile Offshore Drilling Units (MODU), and vessels. The HSE/Safety case should have the following elements:

- a) Evidence to support that all helideck activities specific to the facility are adequately controlled and recorded within the management system;
- b) Procedures developed to confirm that activities remain appropriate, are being properly implemented and remain in accordance with HSAC RP 2016-1 thru 2016-4;
- c) Responsibilities assigned and a custodian identified to ensure that all procedures associated with helideck operations are updated at prescribed intervals.

When addressing “all aspects of helicopter operations” the following should be considered:

- a) Routine crew change and cargo flights;
- b) Emergency flights such as MEDEVAC and platform evacuation;
- c) Visits by Government and third-party helicopters with facility landing rights;
- d) Specialized operations such as helicopter hoist operations (HHO), external load delivery and pickup, and flare-tip replacement.

The facility HSE/Safety Case, Helideck Operations Manual, and Emergency Response Plan should be fully linked to ensure all aviation risks are adequately addressed and mitigated to as low as reasonably practical (ALARP).

2.3. Controls and Recovery Measures

Offshore facilities should as a minimum identify and implement Controls and Recovery Measures for an Offshore Helicopter Incident Top Event, as shown in paragraphs below, in the facility HSE/Safety Case or equivalent document.

2.4. Manual of Permitted Operations

Offshore facilities shall address asset specific conditions and activities posing aviation hazards in the facility HSE/Safety Case, and define and control them through the facility Manual of Permitted Operations (MOPO), or equivalent document.

The following conditions posing aviation hazards shall be included in the facility MOPO or equivalent document:

- a) External influences section:
 - i. Adverse weather including ceiling, visibility, wind, convective activity (lightning, wind shear, hail), and icing; and
 - ii. Adverse sea states prohibiting rescue of ditching survivors.
- b) Concurrent/simultaneous operations section:
 - i. Combined operations of vessels in the helideck OFDS zone creating obstacles, turbulence, or hot/cold gas emission;
 - ii. Crane – helicopter operations;
 - iii. Multi-helicopter operations on offshore helidecks (multiple helicopters on a single helideck);
 - iv. Perforating operations;
 - v. Presence of Hydrogen Sulfide (H₂S) gas (where applicable);
 - vi. Turbulence and hot exhaust gas emissions from facility structure, flaring, and machinery;

- vii. Flammable cold gas venting;
- viii. Emergency hydrocarbon gas release;
- ix. Vessels and MODUs: Facility motion exceeding helicopter operating limits;
- x. Dynamic Positioning (DP) vessels: Adverse vessel movement during DP malfunction or drive off; and
- xi. Other conditions and activities posing aviation hazards determined through Hazard Analysis.

2.5. Safety Critical Equipment

Offshore facilities should identify asset specific Safety Critical Equipment/Elements (SCE) serving as critical Controls and Recovery Measures for aviation hazards, and mitigate their degraded function through the facility MOPO, or equivalent document.

Facilities should analyze the equipment/elements in Chapter 3 for designation as Safety Critical Equipment/Elements and inclusion in the facility MOPO impaired systems section, as well as the facility maintenance management system to ensure the completion of required preventive maintenance and periodic inspections.

2.6. Safety Critical Roles

Offshore facilities should identify asset specific Safety Critical Roles (SCR) responsible for maintaining critical Controls and Recovery Measures for aviation hazards, and establish minimum staffing levels for these roles documented in the facility HSE/Safety Case, or equivalent document. These Safety Critical Roles are an amalgamation of identified Safety Critical Tasks that assure the effectiveness of critical Controls and Recovery Measures.

Facilities should analyze and assess the following roles for designation as Safety Critical Roles:

- a) Offshore Installation Manager/Vessel Master;
- b) Helideck Landing Officers (HLOs);
- c) Facility/vessel Emergency Response Team and/or Fire Team;
- d) Radio Operator;
- e) Offshore logistics coordinators or equivalent conducting weighing and aircraft manifesting;
- f) Store-men/Materials Controllers responsible for the shipment and acceptance of dangerous goods by air; and
- g) Other roles determined through Hazard Analysis.

2.7. Normally Unattended Installations (NUIs)

Parent facility HSE/Safety Cases covering NUIs should include each NUI for mandatory requirements mentioned above, or they should be addressed separately for each NUI, and;

Facility HSE/Safety Cases and their MOPO (or equivalent document) should document how individual exposure to NUI helicopter operations is managed to ALARP.

Facilities should ensure the Controls and Recovery Measures for an Offshore Helicopter Incident Top Event, as shown in paragraphs below, are fully explored for each NUI, taking into account its distance from the parent facility and the ability to adequately respond with existing personnel and equipment at the NUI prior to external support arriving.

Consider the following items for NUIs:

- a) The maximum number of personnel to be transported by helicopter to a NUI;
- b) The minimum number and type of Safety Critical personnel required to safely handle the helicopter on the NUI helideck;
- c) If a helicopter can safely “bus-stop” passengers to two or more NUIs in a single round trip flight, exposing some passengers to multiple NUI landings; (Where a parent facility has more than one NUI)
- d) Passenger movement on undersized helidecks; (Where the NUI helideck is less than 1.0D for the helicopter)
- e) Allowance for night NUI helicopter operations and specific Controls and Recovery Measures for these operations;

- f) Extended personnel presence on NUIs (beyond 24 hours) requiring routine support and crew change flights; and
- g) Personnel health hazards and flight hazards posed by bird guano accumulation.

3. Offshore Helicopter Incident Bow-Tie

Offshore Helideck Departures and Arrivals are inherently complicated with inherent risk and therefore Offshore Helicopter Transport is considered a Hazard. For every safe flight this hazard is contained. The small landing surfaces, environmental conditions and vicinity to objects and obstacles associated with the offshore facility and its helideck layout result in many threats and consequences that might release the Offshore Helicopter Air Transport Hazard into an Offshore Helicopter Incident top event. The complexity of offshore helicopter operations makes the depiction of all associated threats and consequences in a single Bow-Tie very comprehensive. Without pretending to be complete, the HSAC Helidecks Committee has developed a Bow-Tie that incorporates the major threats and consequences associated with offshore helicopter operations to a helideck. **Figure 9** is a depiction of all the threats and consequences taken into consideration for this Offshore Helicopter Incident Bow-Tie.

If all associated controls, escalation factors and escalation controls were to be shown for this Bow-Tie, the printed version would cover the space of a single wall of the average office; therefore the rolled-up version shown in paragraphs 3.1 and 3.2 only depicts threats and consequences and is split up in the following pages in a specific section for each separate threat-line and consequence-line, where for each specific line the controls, escalation factors and escalation controls are shown in a tabular depiction. Each cause control, outcome control and escalation control was reviewed and the associated Safety Critical Tasks (SCTs) and Safety Critical Equipment (SCE) were identified. In the continued development and improvement of HSAC RP 2016-3 these SCTs and SCE are used to:

- a) create the roles and responsibilities for key positions by combining safety critical tasks (SCTs) into safety critical roles;
- b) provide a list of SCE needed to safely perform offshore helideck operations. For SCE the inspection and maintenance requirements to keep it fully operational are also provided in the Helideck HSAC 2016 RP Series.

The tabular representation of controls, escalation factors and escalation controls in the pages hereafter provides a paragraph reference to important information related to the specified SCTs and SCE in an active HSAC Recommended Practice. Although the Bow-Tie was developed for manned facilities, a column is added to show if specific elements of the Bow-Tie are applicable to Normally Unmanned Installations (NUI) or not. If the threat is still applicable to a NUI alternative controls to prevent the threat from releasing the hazard might have to be developed.

For helideck operations on NUIs, an onboard HLO that travels with the helicopter and coordinates helideck operations and passenger control upon landing should be considered. In some cases a certain group that visits NUIs on a regular basis could be HLO trained to mitigate some of the remaining risks that exist on NUIs compared to manned facilities with a competent helideck team.

Notes:

1. Helideck HSAC 2016 RP Series refers to HSAC RPs in the 2016-1 thru -4 series.
2. Cross reference paragraph numbers include, in brackets, the RP number, such as “[1] Par 3.16” which would refer to paragraph 3.16 in HSAC RP 2016-1.
3. Where ‘TBD’ is mentioned in the representations in paragraphs 3.1 and 3.2 a cross reference to an active HSAC RP is not present, which could be a trigger for future development of further guidance to cover all aspects of the bow-tie represented in this RP. A yellow background marked ‘TBD’ will result in an update in either -1, -2 or -3 in the future to assure every aspect of mitigation has a valid reference, where a blue background marked ‘TBD’ item will have to be compiled in a future HSAC RP intended for Helicopter Operators operating to/from Offshore Helidecks.




Figure 9: Offshore Helicopter Incident Bow-Tie

(#) Threat
(#.#) Control
(#.#.#) Escalation Factor
(#.#.#.#) Escalation Control

3.1. Threats

Each Control could have one or more Escalation Factors that could render the Control ineffective, to prevent this from happening, Escalation Controls are put in place. The Escalation Factors and Escalation Controls are NOT shown in the graphical depiction of the Bow-Tie Threat branch, but are shown in the table below using the following color coding (legend is repeated on each page in the header):




Figure 10: Threat - Emergency/Unannounced Helicopter Arrival

3.1.1. Emergency/Unannounced Helicopter Arrival

The threat of a non-scheduled/unplanned helicopter attempting to land on the facility's helideck. This could be a helicopter having an emergency looking for a landing surface, a helicopter attempting to land on the wrong deck, a governmental agency aircraft coming in for an unannounced inspection, a potential terrorist threat where a helicopter attempts to land on the offshore facility with bad intentions, etc.

		Safety Critical Equipment	Safety Critical Task	NUI
1	Threat 1: Emergency / Unannounced Helicopter Arrival			
1.1	Activation Landing Procedures	[-3] Par 5.2.1.1, [-3] Par5.2.1.7, [-3] Par 7.2, [-3] Par 7.2.1, [-3] Par 13.3.1. Helideck Operations Manual.	[-3] Chapter 9	N/A
1.1.1	Helideck Team Member Unavailable			N/A

(#) Threat
(#.#) Control
(#.#.#) Escalation Factor
(#.#.#.#) Escalation Control

	1.1.1.1	Safety Critical Role Assignment by Leadership	Helideck Operations Manual.	[-3] Ch 9	N/A
	1.1.1.2	Roster Redundancy (Multiple HLOs/HDAs on each shift/hitch)	Helideck Operations Manual.	[-3] Par 9.1 Note 2	N/A
	1.1.1.3	Helideck Team Assembly Procedures	Helideck Operations Manual.	[-3] Par 9.3	N/A
	1.1.1.4	Helideck Manning Levels in HLO Manual	Helideck Operations Manual	[-3] Par 9.1	N/A
1.1.2	Landing Procedure not followed				N/A
	1.1.2.1	Landing Procedures in HLO Manual	Helideck Operations Manual.	[-3] Par 9.3	N/A
	1.1.2.2	Helideck Team Training	Helideck Operations Manual.	[-3] Par 12.2	N/A
	1.1.2.3	Helideck Team Drills/Exercises	Helideck Operations Manual.	[-3] Par 13.6	N/A
	1.1.2.4	Helideck Team Competency Assessments	Helideck Operations Manual.	[-3] Par 12.2	N/A
	1.1.2.5	Annual Helideck Inspection	Helideck Operations Manual.	[-3] Par 11.4.4	✓
1.1.3	Platform/Vessel Unaware of Incoming Aircraft				N/A
	1.1.3.1	Air Operator Phone Call Prior to Departure	[-4] Air Operator's Ops Manual.	[-3] Par 7.7.3.2 [-3] Par 8.18 [-3] Appendix 7	N/A
	1.1.3.2	Air Operator Comms/Ops Center procedure to Call Platform/Vessel	[-4] Air Operator's Ops Manual.	TBD	N/A
	1.1.3.3	Radio Calls - Radio Frequency Marked On Helideck	[-1] Par 6.9, [-2] Par 4.7, [-3] Par 7.7.1, [-4]. VHF Radio.	[-3] Ch 9	N/A
	1.1.3.4	Federal Agency Alert (Rogue Aircraft)	TBD	TBD	N/A
1.2	"Green Deck" Procedures		Helideck Operations Manual, VHF Radio.	TBD	N/A
	1.2.1	Pilot ignores 20 min/ 5 min / Green Deck Calls			N/A
	1.2.1.1	Standardized 'Green Deck' Procedures in HSAC RP 2016-03	[-3] Appendix 1, Helideck Operations Manual, VHF Radio.	[-3] Par 9.3	N/A
	1.2.1.2	"Green Deck" Procedures part of Initial and Recurrent Pilot + HLO Training	Helideck Operations Manual, Air Operator's Ops Manual.	TBD	N/A
	1.2.1.3	"Green Deck" Procedures part of Checklists used during Flight	Air Operator's Ops Manual.	TBD	N/A
	1.2.1.4	LOSA/Check Flight Audits adherence to procedure	Air Operator's SMS Manual.	TBD	N/A

(#) Threat
(#.#) Control
(#.#.#) Escalation Factor
(#.#.#.#) Escalation Control

	1.2.1.5	Simulator Rides include verification of adherence to procedure	Air Operator's Training Manual.	TBD	N/A
1.2.2	Communication Failure (Pilot/Helicopter)				N/A
	1.2.2.1	Helicopter Preventive Maintenance Schedule and MEL	Air Operators General Maintenance Manual.	TBD	N/A
	1.2.2.2	Helicopter Equipment Fit including Multiple Air band Radios/Marine Band/Sat Phone	Air Band (VHF and Marine Band) Radios, Sat Phone.	TBD	N/A
	1.2.2.3	Helicopter Operator Comms/Ops Center Relay Procedure	VHF Radio.	TBD	N/A
	1.2.2.4	HSAC RP 2016-03 Light Signal Procedures	[-3] Par 9.9.2. Helideck Operations Manual, Signal Light.	[-3] Par 9.9.2	N/A
1.2.3	Communication Failure (Platform/Vessel/HLO)				N/A
	1.2.3.1	Daily Comms Checks	[-3] Appendix 1. Helideck Operations Manual, VHF Radio.	[-3] Appendix 3 Attachment 1 Par 4.1 & 4.2	N/A
	1.2.3.2	Back-up Communications Systems	[-1] Chapter 11, [-3] Par 7.7.1. Helideck Operations Manual, Back-up VHF Radio.	[-3] Appendix 3 Attachment 1 Par 4.1 & 4.2	N/A
	1.2.3.3	Manned Radio Room During Helicopter Operations window	[-3] Par 7.7.1.1. Helideck Operations Manual, VHF Radio in Radio Room.	[-3] Par 7.7.1.3	N/A
	1.2.3.4	Hand Signals	Helideck Operations Manual.	[-3] Par 9.9	N/A
	1.2.3.5	HSAC RP 2016-03 Light Signal Procedures	[-3] Par 9.9.2. Helideck Operations Manual, Signal Light.	[-3] Par 9.9.2	N/A
1.3	Helideck Status Lights		[-1] Par 7.5, [-2] Par 5.5, [-3] Par 7.5.1.5. Helideck Status Lights.	[-3] Appendix 1 [-3] Appendix 3 Attachment 1 Par 3.1	✓
	1.3.1	Status Not Changed			✓
	1.3.1.1	Ability For Pilot To Challenge By Radio	Helideck Status Lights, VHF Radio.	TBD	N/A
	1.3.1.2	HLO Pre-Landing Checklist	Helideck Operations Manual.	[-3] Par 9.3	N/A
	1.3.1.3	HSAC RP 2016-03 Light Signal Procedures	[-3] Par 9.9.2. Helideck Operations Manual, Signal Light.	[-3] Par 9.9.2	N/A
	1.3.2	Equipment Malfunction			✓
	1.3.2.1	Industry Standard Procedures for Helideck Status Lights	[-3] Appendix 1. Helideck Operations Manual, Helideck Status Lights.	TBD	✓
	1.3.2.2	Routine Inspection and Maintenance	[-3] Appendix 1. Helideck Operations Manual, Helideck Status Lights.	[-3] Appendix 1	✓

(#) Threat
(#.#) Control
(#.#.#) Escalation Factor
(#.#.#.#) Escalation Control

	1.3.2.3	HLO Daily Serviceability Check	Helideck Operations Manual, Helideck Status Lights.	[-3] Appendix 3 Attachment 1 Par 3.1	N/A
	1.3.2.4	Spare Light (Bulbs) Available	[-3] Appendix 3 Attachment 1 Par 3.1. Spare Light Bulbs.	[-3] Appendix 3 Attachment 1 Par 3.1	N/A
	1.3.2.5	HSAC RP 2016-03 Light Signal Procedures	[-3] Par 9.9.2. Helideck Operations Manual, Signal Light.	[-3] Par 9.9.2	N/A
1.3.3	Electrical Failure				✓
	1.3.3.1	Routine Inspection and Maintenance	[-1] Par 7.5, [-2] Par 5.5. Helideck Operations Manual, Helideck Status Lights.	[-3] Appendix 3 Attachment 1 Par 3.1	✓
	1.3.3.2	Status Light Connected to Emergency Back-up Generator or UPS	[-1] Par 7.7, [-2] Par 5.7. Helideck Operations Manual, Helideck Status Lights, Back-up Generator, UPS.	N/A	✓
	1.3.3.3	HSAC RP 2016-03 Light Signal Procedures	[-3] Par 9.9.2. Helideck Operations Manual, Signal Light.	[-3] Par 9.9.2	N/A
1.3.4	Pilot Not Aware Of Lights				✓
	1.3.4.1	Industry Standard Procedures for Helideck Status Lights	[-3] Appendix 1. Helideck Operations Manual, Helicopter Operator's Ops Manual.	TBD	✓
	1.3.4.2	Initial and Recurrent Pilot Training	Helicopter Operator's Training Manual.	TBD	✓
	1.3.4.3	Standardized Helideck Information Plates to include Status Lights Availability	[-4] Helideck Info Plates.	N/A	✓
	1.3.4.4	NOTAM System	NOTAM System	[-3] Par 8.19.1.5	✓
	1.3.4.5	HSAC RP 2016-03 Light Signal Procedures	[-3] Par 9.9.2. Helideck Operations Manual, Signal Light.	[-3] Par 9.9.2	N/A

(#) Threat
(#.#) Control
(#.#.#) Escalation Factor
(#.#.#.#) Escalation Control

1.4	Prohibited Landing Marker		[-3] Par 8.8. Prohibited Landing Marker.	[-3] Par 8.8 [-3] Appendix 1 [-3] Appendix 3 Attachment 1 Par 5.2 [-3] Appendix 3 Attachment 3 Par 7 [-3] Appendix 3 Attachment 4	✓
1.4.1	Marker Missing / Unawareness				✓
	1.4.1.1	Marker Stored in HLO Locker	[-3] Appendix 1. Prohibited Landing Marker.	[-3] Appendix 3 Attachment 1 Par 5.2	N/A
	1.4.1.2	Helideck Team Training	Helideck Operations Manual	[-3] Par 12.2	N/A
	1.4.1.3	Annual Exercise to Roll-out Marker	Prohibited Landing Marker, Helideck Operations Manual.	[-3] Par 13.6.6	N/A
	1.4.1.4	Annual Helideck Inspection	Helideck Operations Manual	[-3] Par 11.4.4	✓
1.4.2	Pilot ignores Marker				✓
	1.4.2.1	Initial/Recurrent Pilot Training	Prohibited Landing Marker,	TBD	✓
	1.4.2.2	Air Operator OPS Manual Reference for 'Closed' Helidecks	Helicopter Operator's Training Manual.	TBD	N/A
	1.4.2.3	HLO Communication	Helideck Operations Manual	TBD	N/A
	1.4.2.4	NOTAM System	NOTAM System	[-3] Par 8.19.1.5	✓
	1.4.2.5	HSAC RP 2016-03 Light Signal Procedures	[-3] Par 9.9.2. Helideck Operations Manual, Signal Light.	[-3] Par 9.9.2	N/A
1.4.3	Marker Improperly Secured				✓
	1.4.3.1	Helideck Team Training	Prohibited Landing Marker, Helideck Operations Manual	[-3] Par 12.2	N/A
	1.4.3.2	Annual Exercise to Roll-out Marker	Prohibited Landing Marker, Helideck Operations Manual	[-3] Par 13.6.6	N/A
	1.4.3.3	Procedures in HLO Manual	[-3] Appendix 3 Attachment 1 Par 5.1. Helideck Operations Manual.	TBD	✓
	1.4.3.4	Annual Helideck Inspection	Helideck Operations Manual.	[-3] Par 11.4.4	N/A
1.5	Manual Wave Off Procedure (HSAC RP 2016-03 Light Signal Procedures)		[-3] Par 9.9.2. Helideck Operations Manual, Signal Light.	[-3] Par 9.9.2	N/A
1.5.1	Pilot Not Aware of Wave Off Signals				N/A
	1.5.1.1	Initial/Recurrent Pilot Training	Helicopter Operator's Training Manual.	TBD	N/A
	1.5.1.2	Air Operator OPS Manual Reference for 'Manual Wave Off'	Helicopter Operator's Ops Manual.	TBD	N/A

(#) Threat
(#.#) Control
(#.#.#) Escalation Factor
(#.#.#.#) Escalation Control

	1.5.1.3	NOTAM System	NOTAM System	[-3] Par 8.19.1.5	N/A
	1.5.1.4	HSAC RP 2016-03 Light Signal Procedures	[-3] Par 9.9.2. Helideck Operations Manual, Signal Light.	[-3] Par 9.9.2	N/A
	1.5.1.5	Hand Signals	Helideck Operations Manual.	[-3] Par 9.9	N/A
1.5.2	HLO Does Not Initiate Manual Wave-Off				N/A
	1.5.2.1	Helideck Team Training	Helideck Operations Manual.	[-3] Par 12.2	N/A
	1.5.2.2	HSAC RP 2016-03 Light Signal Procedures	[-3] Par 9.9.2. Helideck Operations Manual, Signal Light.	[-3] Par 9.9.2	N/A
	1.5.2.3	Manual Wave Off Periodically Exercised	Helideck Operations Manual	TBD	N/A
	1.5.2.4	Hand Signals	Helideck Operations Manual.	[-3] Par 9.9	N/A
1.6	Physical Blockade of Helideck to Prevent Landing (Terrorism) (Crane over Deck)		Crane or other Blockade Equipment, Helideck Operations Manual.	TBD	N/A
	1.6.1	Crane Operator Unaware of Incoming Flight			N/A
	1.6.1.1	HLO Cross Check	Helideck Operations Manual, Radio or PA.	[-3] Par 8.10	N/A
	1.6.1.2	Daily Flight Schedule Briefing	Helideck Operations Manual.	TBD	N/A
	1.6.1.3	Platform PA Announcement of Incoming Flights	Helideck Operations Manual, PA.	TBD	N/A
	1.6.2	Communications Failure (Crane Operator - HLO)			N/A
	1.6.2.1	Portable Comms Check	[-1] Chapter 11, [-3] Par 7.7. Helideck Operations Manual, VHF Radios /w headsets	[-3] Par 9.3	N/A
	1.6.2.2	Crane Operations Warning Light	HSAC RP 89-1, [-3] Appendix 1. Crane Operating Lights, Helideck Operations Manual.	[-3] Par 8.10.1.2	N/A
	1.6.2.3	Helideck Status Light Activated when Crane not in Cradle	[-1] Par 7.5, [-2] Par 5.5, [-3] Appendix 1. Helideck Status Lights.	[-3] Par 7.5.1.5	N/A
	1.6.2.4	Crane Operations Restrictions in HLO Manual	Helideck Operations Manual.	TBD	N/A
	1.6.2.5	Platform PA Announcements	Helideck Operations Manual, PA.	TBD	N/A
	1.6.2.6	Hand Signals	Helideck Operations Manual.	[-3] Par 9.9	N/A

(#) Threat
(#.#) Control
(#.#.#) Escalation Factor
(#.#.#.#) Escalation Control

1.6.3	Crane Not Working				N/A
	1.6.3.1	Inspection / Maintenance Schedule	Facility Maintenance Program	TBD	N/A
	1.6.3.2	Alternative way to physically block helideck when needed	TBD	TBD	N/A
1.6.4	Crane Operator Unavailable				N/A
	1.6.4.1	Assigned Crane Operators Available 24/7	Helideck Operations Manual.	TBD	N/A
	1.6.4.2	Alternative way to physically block helideck when needed	TBD	TBD	N/A

(#) Threat
(#.#) Control
(#.#.#) Escalation Factor
(#.#.#.#) Escalation Control




Figure 11: Threat - Unexpected movement of helicopter on helideck

3.1.2. Unexpected movement of helicopter on helideck

The threat of unexpected helicopter movement on the helideck due to environmental conditions (wind, pitch/roll/heave, helideck surface issues). This excludes pilot control input problems (airmanship or knocking a control when exiting/entering the aircraft) or helicopter mechanical issues as they are mainly outside the helideck owners purview.

		Safety Critical Equipment	Safety Critical Task	NUI
2	Unexpected movement of helicopter on helideck			
2.1	Pitch/Roll/Heave Monitoring	[-1] Par 9.3, Helideck Monitoring System (HMS)	[-3] Par 8.16.2	N/A
	2.1.1 Equipment Malfunction			
	2.1.1.1 Routine Inspection and Maintenance	HMS, Helideck Operations Manual, Facility Maintenance Program.	TBD	N/A
	2.1.1.2 Redundant Systems	TBD	TBD	N/A
	2.1.1.3 NOTAM System	NOTAM System	[-3] Par 8.19.1.5	N/A

(#) Threat
(#.#) Control
(#.#.#) Escalation Factor
(#.#.#.#) Escalation Control

2.1.2	Electrical Failure				N/A
	2.1.2.1	System is connected to Emergency Generator / UPS	[-1] Par 7.7, [-2] Par 5.7, [-3] Par 7.5.1.6. Emergency Generator, UPS, HMS.	TBD	N/A
	2.1.2.2	Routine Inspection and Maintenance	[-1] Par 7.7, [-2] Par 5.7, [-3] Par 7.5.1.6. Facility Maintenance Program.	[-3] Appendix 3 Attachment 1 Par 3.5	N/A
	2.1.3 Lack of Communication whilst Helicopter is Manned				N/A
	2.1.3.1	Back-up Comms Systems	[-3] Par 7.7.1.1. Back-up Radio(s).	N/A	N/A
2.1.3	2.1.3.2	Manned Radio Room During Helicopter Ops Window	[-3] Par 7.7.1.1. Helideck Operations Manual, VHF Radio in Radio Room.	[-3] Par 9.3	N/A
	2.1.3.3	Hand Signals	Helideck Operations Manual.	[-3] Par 9.9	N/A
	2.1.3.4	Helideck Status Lights	[-1] Par 7.7, [-2] Par 5.7. Helideck Operations Manual, Helideck Status Lights, Back-up Generator, UPS.	[-3] Appendix 1 [-3] Appendix 3 Attachment 1 Par 3.1	N/A
	2.1.3.5	HSAC RP 2016-03 Light Signal Procedures	[-3] Par 9.9.2. Helideck Operations Manual, Signal Light.	[-3] Par 9.9.2	N/A
	2.1.4 P/R/H Limits of Air Operator Different from Platform/HMS Setup				N/A
2.1.4	2.1.4.1	Agreement on P/R/H Limits in Use	HMS, Helideck Operations Manual.	TBD	N/A
	2.1.4.2	Programmed Agreed P/R/H Limits in Helideck Monitoring System	[-1] Par 9.3. HMS	[-3] Par 8.16.2	N/A
	2.1.4.3	HLO Announcement of P/R/H in 20 min and 5 min Calls	Helideck Operations Manual, VHF Radio.	TBD	N/A
	2.1.4.4	Pilot To Cancel Landing and Return To Base	Helicopter Operator's Ops Manual.	TBD	N/A
2.2	Anti-Skid Paint		[-1] Par 5.5, [-2] Par 4.1. Helideck Paint Program.	[-3] Appendix 1	✓
	2.2.1	Degradation of friction			✓
	2.2.1.1	Annual Friction Test	[-1] Par 5.5. Friction Test Equipment or Contracted Third Party Program, Helideck Operations Manual, Facility Maintenance Program.	[-3] Appendix 1	✓

(#) Threat
(#.#) Control
(#.#.#) Escalation Factor
(#.#.#.#) Escalation Control

	2.2.1.2	Potential to Install Helideck Landing Net	[-3] Par 7.3.2. Helideck Landing Net, Helideck Operations Manual.	[-3] Par 7.3.2 [-3] Par 9.12.3.2 [-3] Par 10.3.2.3 [-3] Appendix 1 [-3] Appendix 3 Attachment 1 Par 1.5 Note 2 & 1.6	✓
	2.2.1.3	Visual Inspection and Intervention when Required	Helideck Operations Manual.	[-3] Appendix 1 [-3] Appendix 3 Attachment 1 Par 1.5 Note 2 & 1.6	✓
	2.2.2	Inadequate Maintenance			✓
	2.2.2.1	Painting Procedure	[-1] 5.5, [-2] 4.1. Helideck Paint Program, Facility Maintenance Program.	[-3] Par 7.3.1	✓
	2.2.2.2	Daily Check By HLO	Helideck Operations Manual.	[-3] Appendix 3 Attachment 1 Par 1.3	N/A
2.3	Aircraft Securing Procedures		Helicopter Operator's Ops Manual.	TBD	✓
	2.3.1	Procedure not followed			✓
	2.3.1.1	HLO Training	Helideck Operations Manual.	TBD	N/A
	2.3.1.2	Pilot Training	Helicopter Operator's Training Manual.	TBD	✓
	2.3.1.3	Cross check Pilot/HLO	Helideck Operations Manual, Helicopter Operator's Ops Manual.	TBD	N/A
	2.3.1.4	Securing Procedures in Air Operator's Ops Manual	Helicopter Operator's Ops Manual.	TBD	✓
	2.3.1.5	Securing Procedures in HLO Manual	Helideck Operations Manual.	TBD	N/A
	2.3.1.6	HLO Competency Assessment	Helideck Operations Manual.	[-3] Par 12.2	N/A
	2.3.1.7	Annual Helideck Inspection	Helideck Operations Manual.	[-3] Par 11.4.4 [-3] Appendix 3 Attachment 4	✓
2.4	Air Operator Wind Speed/Crosswind Limits		[-1] Chapter 9. Helideck Operations Manual, Helicopter Operator's Ops Manual.	TBD	✓
	2.4.1	Pilot Unaware of Wind Speed/Cross Wind Limitations			✓
	2.4.1.1	Enhanced Operational Controls (EOCs) in Place	Helicopter Operator's Ops Manual.	TBD	✓
	2.4.1.2	Use of 'Official' Weather Information (AWOS/ASOS/Weather Observer)	[-1] Chapter 9. Helideck Operations Manual, Helicopter Operator's Ops Manual, AWOS/ASOS.	TBD	✓

(#) Threat
(#.#) Control
(#.#.#) Escalation Factor
(#.#.#.#) Escalation Control

2.4.1.3	HLO Procedure to Provide Weather Information during 'Green Deck' Procedure	Helideck Operations Manual.	TBD	N/A
2.4.1.4	Helideck Status Lights	[-1] 7.5, [-2] 5.5, [-3] Par 7.5.1.5. Helideck Operations Manual, Helideck Status Lights, Back-up Generator, UPS.	[-3] Appendix 1 [-3] Appendix 3 Attachment 1 Par 3.1	✓
2.4.2	(Un)Intentional Exceedance of (Cross)Wind Limitations			✓
2.4.2.1	Prevention of Helicopter Repositioning Above Certain Wind speeds	[-3] Par 7.3.7.1 Helideck Operations Manual, Helicopter Operator's Ops Manual.	TBD	✓
2.4.2.2	Calibrated Weather Equipment	[-1] Chapter 9, Weather Equipment, Facility Maintenance Program, Helideck Operations Manual.	[-3] Appendix 7	✓
2.4.2.3	HLO Using Handheld Anemometer	[-3] Appendix 1. Helideck Operations Manual, Handheld Anemometer.	[-3] Appendix 3 Attachment 1 Par 2.5	N/A
2.4.2.4	Temporary Closing Procedures of Helideck Based on Wind Exceedances (MOPO)	Helideck Operations Manual, MOPO, Helideck Status Lights, Prohibited Landing Marker, NOTAM System.	[-3] Par 8.8.1.1	N/A

(#) Threat
(#.#) Control
(#.#.#) Escalation Factor
(#.#.#.#) Escalation Control




Figure 12: Threat - Crane Operations Interfering with Helicopter Operations

3.1.3.

3.1.4. Crane Operations Interfering with Helicopter Operations

The threat of a facility crane interfering with the Take-off and Landing Surface or overall helicopter operations. For example: infringement of the Obstacle Free Sector

					Safety Critical Equipment	Safety Critical Task	NUI
3	Crane Operations Interfering with Helicopter Operations						
3.1	Written Procedures for Aviation				Helideck Operations Manual.	[-3] Par 5.2.1.1	N/A
	3.1.1	Procedure Not Followed					N/A
		3.1.1.1	Helideck Team Training		Helideck Operations Manual.	[-3] Par 12.2	N/A
		3.1.1.2	HLO Competency Assessment		Helideck Operations Manual.	[-3] Par 12.2	N/A
		3.1.1.3	Helideck Team Exercises		Helideck Operations Manual.	[-3] Par 13.6	N/A
		3.1.1.4	Annual Helideck Inspection		Helideck Operations Manual.	[-3] Par 11.4.4 [-3] Appendix 3 Attachment 4	N/A
	3.1.2	Crane Operator Still In Crane Cab					N/A
		3.1.2.1	Platform / Vessel PA Announcements		Helideck Operations Manual, PA System.	TBD	N/A
		3.1.2.2	HLO Verification Crane Operator is outside cab before giving Green Deck		Helideck Operations Manual, Radios, PA System.	TBD	N/A

(#) Threat
(#.#) Control
(#.#.#) Escalation Factor
(#.#.#.#) Escalation Control

3.2	Crane Boom is Outside of Helideck Operating Area			Helideck Operations Manual.	TBD	N/A
3.2.1	Crane Boom Infringes Helideck Operating Area					N/A
3.2.1.1	HLO Visual Verification of Crane Boom Cradled (or Safe Position) prior to giving Green Deck			Helideck Operations Manual.	TBD	N/A
3.2.1.2	Helideck Status Lights			[-1] 7.5, [-2] 5.5, [-3] Par 7.5.1.5. Helideck Operations Manual, Helideck Status Lights, Back-up Generator, UPS.	[-3] Appendix 1 [-3] Appendix 3 Attachment 1 Par 3.1	N/A
3.2.1.3	Crane Boom Paint Scheme			Crane Boom Paint Scheme.	[-3] Par 8.10.1.2	N/A
3.2.1.4	Pilot Opportunity to Challenge			Helicopter Operator's Ops Manual.	TBD	N/A
3.2.1.5	Air Operator to perform a 360 degree orbit prior to landing			Helicopter Operator's Ops Manual.	TBD	N/A
3.3	Crane Operating Lights			HSAC RP 89-1, [-3] Par 8.10.1.2, Crane Operating Lights.	[-3] Appendix 1 [-3] Appendix 3 Attachment 1 Par 4.4	N/A
3.3.1	Equipment Failure					N/A
3.3.1.1	Daily Check			Helideck Operations Manual.	TBD	N/A
3.3.1.2	Routine Inspections and Maintenance			Helideck Operations Manual, Facility Maintenance Program.	[-3] Appendix 1 [-3] Appendix 3 Attachment 1 Par 4.4	N/A
3.3.1.3	NOTAM System			NOTAM System	[-3] Par 8.19.1.5	N/A
3.3.1.4	HLO-Pilot Radio Communication			[-1] Chapter 11, [-3] Par 7.7. Helideck Operations Manual, VHF Radio(s) /w headset(s).	[-3] Appendix 1 [-3] Appendix 3 Attachment 1 Par 4	N/A
3.3.1.5	Crane Cradled before giving Green Deck			Helideck Operations Manual.	[-3] Par 8.10.1.3	N/A
3.3.2	Electrical Failure					N/A
3.3.2.1	Crane on Emergency Back-up Generator			[-1] 7.7, [-2] 5.7. Back-up Generator.	TBD	N/A
3.3.2.2	Routine Inspections and Maintenance			Helideck Operations Manual, Facility Maintenance Program.	[-3] Appendix 1	N/A
3.3.2.3	HLO-Pilot Radio Communication			[-1] Chapter 11, [-3] Par 7.7. Helideck Operations Manual, VHF Radio(s) /w headset(s).	[-3] Appendix 1 [-3] Appendix 3 Attachment 1 Par 4	N/A
3.3.2.4	Air Operator to perform a 360 degree orbit prior to landing			Helicopter Operator's Ops Manual.	TBD	N/A

(#) Threat
(#.#) Control
(#.#.#) Escalation Factor
(#.#.#.#) Escalation Control

3.4	Crane Boom Paint Scheme	Crane Boom Paint Scheme.	[-3] Par 8.10.1.2	N/A
	3.4.1	Degradation of Paint Scheme		N/A
	3.4.1.1	Routine Inspections and Maintenance	Helideck Operations Manual, Facility Maintenance Program.	TBD
	3.4.1.2	Crane Boom Lighting	HSAC RP 89-1, [-3] Appendix 1, Crane Boom Lighting.	[-3] Par 8.10.1.2
	3.4.1.3	Annual Helideck Inspection	Helideck Operations Manual, Facility Maintenance Program.	[-3] Par 11.4.4 [-3] Appendix 3 Attachment 4
3.5	Helideck Information Plates	[-4]. Helideck Info Plates.	TBD	N/A
3.6	NOTAM System	NOTAM System	[-3] Par 8.19.1.5	N/A

(#) Threat
(#.#) Control
(#.#.#) Escalation Factor
(#.#.#.#) Escalation Control




Figure 13: Threat - Obstacles Around Helicopter Approach Path

3.1.5. Obstacles Around Helicopter Approach Path

The threat of temporary or permanent obstacles infringing on either the Obstacle Free Sector (OFS), Limited Obstacle Sector (LOS) or Obstacle Free Dropdown Sector (OFDS). Examples are Supply boats in the OFDS, helideck access point handrails not folded down, fire monitors extending into the OFS and equipment like antennas mounted in a location infringing on either of the sectors.

				Safety Critical Equipment	Safety Critical Task	NUI
4	Obstacles around Helicopter Approach Path					
	4.1	HLO Stops Any Other Conflicting Activities (e.g. Vessel Operations, Work Near Helideck, etc.)		Helideck Operations Manual.	[-3] Par 9.1.1.2	N/A
	4.1.1	Failure to Follow Procedures				N/A
		4.1.1.1	Helideck Team Training	Helideck Operations Manual	[-3] Par 12.2	N/A
		4.1.1.2	HLO Manual	Helideck Operations Manual	[-3] Par 5.2.1.1	N/A
		4.1.1.3	HLO Competency Assessment	Helideck Operations Manual	[-3] Par 12.2.2 [-3] Par 12.2.5 [-3] Par 12.2.6	N/A
		4.1.1.4	Helideck Team Exercises/Drills	Helideck Operations Manual.	[-3] Par 13.6	N/A
		4.1.1.5	Annual Helideck Inspection	Helideck Operations Manual, Facility Maintenance Program.	[-3] Par 11.4.4 [-3] Appendix 3 Attachment 4	N/A
		4.1.1.6	Pilot Decision to Return to Base	Helicopter Operator's Ops Manual.	TBD	N/A
	4.1.2	Lack of Warning During Approach				✓

(#) Threat
(#.#) Control
(#.#.#) Escalation Factor
(#.#.#.#) Escalation Control

	4.1.2.1	Pilot Notification during 20-min and 5-min call	[-3] Appendix 1. Helicopter Operator's Ops Manual, VHF Radio(s) /w headset(s).	TBD	N/A
	4.1.2.2	Air Operator to perform a 360 degree orbit prior to landing	Helicopter Operator's Ops Manual.	TBD	✓
	4.1.2.3	Helideck Status Lights	[-1] 7.5, [-2] 5.5, [-3] Par 7.5.1.5. Helideck Operations Manual, Helideck Status Lights, Back-up Generator, UPS.	[-3] Appendix 1 [-3] Appendix 3 Attachment 1 Par 3.1	✓
	4.1.2.4	HSAC RP 2016-03 Light Signal Procedures	[-3] Par 9.9.2. Helideck Operations Manual, Signal Light.	[-3] Par 9.9.2	N/A
	4.1.2.5	Pilot Decision to Return to Base	Helicopter Operator's Ops Manual.	TBD	✓
4.2	Obstacle Free Sector, Limited Obstacle Sector and Obstacle Free Dropdown Sector Designed to Comply with HSAC RP 2016-01/-02 or CAP 437		[-1] 4.3.5, [-2] 3.4. Helideck Paint Scheme.	[-3] Par 7.3.5 [-3] Par 10.2.7.2	✓
	4.2.1	Infringement by a Foreign Obstacle			✓
	4.2.1.1	Marking of Obstacle and Potentially A Non-Nose Section on TDPM	[-1] 6.8. Helideck Paint Scheme.	N/A	✓
	4.2.1.2	Captured as limitation or restriction in Helideck Information Plate for (semi-) Permanent Infringements	[-3] 5.2.1.7, [-4]. Helideck Info Plate.	[-3] Par 5.2.2.1 e) and Note 2	✓
	4.2.1.3	HLO Pre-Landing Checklist	Helideck Operations Manual	[-3] Par 9.3	N/A
	4.2.1.4	Pilot Notification during 20-min and 5-min call	[-3] Appendix 1. Helicopter Operator's Ops Manual.	TBD	N/A
	4.2.1.5	NOTAM Issued	NOTAM System	[-3] Par 8.19.1.5	✓
	4.2.1.6	Helideck Status Lights	[-1] 7.5, [-2] 5.5, [-3] Par 7.5.1.5. Helideck Operations Manual, Helideck Status Lights, Back-up Generator, UPS.	[-3] Appendix 1 [-3] Appendix 3 Attachment 1 Par 3.1	✓
	4.2.1.7	HSAC RP 2016-03 Light Signal Procedures	[-3] Par 9.9.2. Helideck Operations Manual, Signal Light.	[-3] Par 9.9.2	N/A
	4.2.1.8	Pilot Decision to Return to Base	Helicopter Operator's Ops Manual.	TBD	✓
4.3	Annual Helideck Inspection		Helideck Operations Manual, Facility Maintenance Program.	[-3] Par 11.4.4 [-3] Appendix 3 Attachment 4	✓

(#) Threat
(#.#) Control
(#.#.#) Escalation Factor
(#.#.#.#) Escalation Control




Figure 14: Threat - Exhaust Plumes and Gas Releases

3.1.6. Exhaust Plumes and Gas Releases

The threat of exhaust plumes or other gas releases impacting helideck operations that could result in a helicopter incident. Exhaust plumes or other heat sources like HVAC vents can result in an area of significantly increased ambient temperature. If this area covers the approach/take-off path of a helicopter, the warmer air will negatively impact the helicopter's performance characteristics. In addition hydrocarbon gas releases provide a dual threat. The helicopters engines could act as ignitor for the gas plume and create a disaster for the platform. On the other hand the intake of the gas plume into the engines will influence the fuel/air mixture and could either result in instant engine damage or a flame-out.

			Safety Critical Equipment	Safety Critical Task	NUI
5	Exhaust Plumes and Gas Releases (e.g. venting, flare, etc.)				
5.1	Issue a NOTAM for Long Term Conditions		NOTAM System.	[-3] Par 8.19.1.5	✓
5.2	Standard Operating Procedures Confirm Stable Operating Conditions		Helideck Operations Manual	[-3] Par 8.7 thru 8.19 [-3] Par 10.2.6.3	✓
5.2.1	Procedure not followed				✓
5.2.1.1	Onsite Supervisor to Communicate with HLO if process onboard Platform/Vessel becomes Unstable		Helideck Operations Manual, Radio(s), PA System, Platform Alarms.	[-3] Par 8.13.1.2	N/A
5.2.1.2	Helideck Team Training		Helideck Operations Manual.	[-3] Par 12.2	N/A
5.2.1.3	HLO Competency Assessment		Helideck Operations Manual.	[-3] Par 12.2.2 [-3] Par 12.2.5 [-3] Par 12.2.6	N/A

(#) Threat
(#.#) Control
(#.#.#) Escalation Factor
(#.#.#.#) Escalation Control

	5.2.1.4	Automatically Triggered Helideck Status Lights	[-1] 7.5, [-2] 5.5, [-3] Par 7.5.1.5. Helideck Operations Manual, Helideck Status Lights, Back-up Generator, UPS.	[-3] Appendix 1 [-3] Appendix 3 Attachment 1 Par 3.1	✓
5.3	Platform/Vessel Provides Notification to Helicopter Operator of Current Local Conditions		NOTAM System, VHF Radio(s), Helideck Operations Manual.	[-3] Par 8.13.1.2	✓
	5.3.1	Communications Equipment Failure			✓
	5.3.1.1	Daily Comms Check	[-3] Appendix 1. Helideck Operations Manual, VHF Radio(s) /w headset(s).	[-3] Appendix 3 Attachment 1 Par 4.1 & 4.2	N/A
	5.3.1.2	Comms System is Connected to Emergency Back-up Generator / UPS	[-1] 7.7, [-2] 5.7, [-3] Par 7.5.1.6. VHF Radio, Backup Generator, UPS.	TBD	N/A
	5.3.1.3	Routine Inspections and Maintenance	Helideck Operations Manual, Facility Maintenance Program	[-3] Appendix 1	✓
	5.3.2	HLO Unaware of Hydrocarbon (or other type) Release			N/A
	5.3.2.1	Fire & Gas Leak/Vent Detection	[-1] 4.8, [-1] B.7.1.4, [-2] Chapter 9. Helideck Status Lights, VHF Radio(s) /w headset(s), Platform Alarms.	[-3] Par 7.3.7.4 [-3] Par 7.3.7.5 [-3] Par 7.3.7.6	N/A
	5.3.2.2	Automatically Triggered Helideck Status Lights	[-1] 7.5 [-2] 5.5 [-3] Par 7.5.1.5 Helideck Operations Manual, Helideck Status Lights, Back-up Generator, UPS.	[-3] Appendix 1 [-3] Appendix 3 Attachment 1 Par 3.1	✓
	5.3.2.3	Platform/Vessel Alarm	Platform/Vessel Alarm.	[-3] Par 12.2.6 [-3] Par 13.5	N/A
	5.3.2.4	HLO To Verify No Leaks/Venting Prior to Providing Green Deck	Helideck Operations Manual, Helideck Status Lights, VHF Radio(s) /w headset(s).	[-3] Par 8.7 thru 8.19	N/A

(#) Threat
(#.#) Control
(#.#.#) Escalation Factor
(#.#.#.#) Escalation Control

5.4	Helideck Status Lights		[-1] 7.5, [-2] 5.5, [-3] Par 7.5.1.5. Helideck Operations Manual, Helideck Status Lights, Back-up Generator, UPS.	[-3] Appendix 1 [-3] Appendix 3 Attachment 1 Par 3.1	✓
5.4.1		Electrical Failure			✓
		5.4.1.1	Routine Inspection and Maintenance	[-1] 7.5, [-2] 5.5, [-3] Par 7.5.1.5. Helideck Operations Manual, Helideck Status Lights, Back-up Generator, UPS.	[-3] Appendix 1 ✓
		5.4.1.2	Status Light Connected to Emergency Back-up Generator or UPS	[-1] Par 7.7, [-2] Par 5.7. Helideck Operations Manual, Helideck Status Lights, Back-up Generator, UPS.	TBD ✓
		5.4.1.3	HSAC RP 2016-03 Light Signal Procedures	[-3] Par 9.9.2. Helideck Operations Manual, Signal Light.	[-3] Par 9.9.2 N/A
5.4.2		Equipment Malfunction			✓
		5.4.2.1	Routine Inspection and Maintenance	[-1] 7.5, [-2] 5.5, [-3] Par 7.5.1.5. Helideck Operations Manual, Helideck Status Lights, Back-up Generator, UPS.	[-3] Appendix 1 ✓
		5.4.2.2	HLO Daily Serviceability Check	Helideck Operations Manual.	[-3] Appendix 3 Attachment 1 Par 3.1 N/A
		5.4.2.3	Spare Light (Bulbs) Available	[-3] Appendix 3 Attachment 1 Par 3.1. Spare Light Bulbs.	[-3] Appendix 3 Attachment 1 Par 3.1 N/A
		5.4.2.4	HSAC RP 2016-03 Light Signal Procedures	[-3] Par 9.9.2. Helideck Operations Manual, Signal Light.	[-3] Par 9.9.2 N/A
5.4.3		Pilot Not Aware Of Lights			✓
		5.4.3.1	Industry Standard Procedures for Helideck Status Lights	[-3] Appendix 1. Helideck Operations Manual, Helicopter Operator's Ops Manual.	TBD ✓

(#) Threat
(#.#) Control
(#.#.#) Escalation Factor
(#.#.#.#) Escalation Control

	5.4.3.2	Initial and Recurrent Pilot Training	Helicopter Operator's Training Manual.	TBD	✓
	5.4.3.3	Standardized Helideck Information Plates to include Status Lights	[-4] Helideck Info Plates.	N/A	✓
	5.4.3.4	NOTAM System	NOTAM System	[-3] Par 8.19.1.5	✓
	5.4.3.5	HSAC RP 2016-03 Light Signal Procedures	[-3] Par 9.9.2. Helideck Operations Manual, Signal Light.	[-3] Par 9.9.2	N/A
	5.4.4	Status Not Changed			N/A
	5.4.4.1	Ability For Pilot To Challenge By Radio	Helideck Status Lights, VHF Radio.	TBD	N/A
	5.4.4.2	HLO Pre-Landing Checklist	Helideck Operations Manual.	[-3] Par 9.3	N/A
	5.4.4.3	HSAC RP 2016-03 Light Signal Procedures	[-3] Par 9.9.2. Helideck Operations Manual, Signal Light.	[-3] Par 9.9.2	N/A
5.5	Computational Fluid Dynamics (CFD) Study Carried Out to Assist With Development Of Operational Controls		[-1] 4.4.2, [-2] 9.3. CFD Study Report.	TBD	✓
	5.5.1	No or Incorrect CFD Data Available			✓
	5.5.1.1	Helideck Owner Requirement to perform CFD study for new design or modifications to legacy helidecks	[-1] 4.4.2, [-2] 9.3. CFD Study Report.	TBD	✓
	5.5.1.2	Implement Helideck Limitations List (HLL) restrictions per Helicopter Type for each flight	Helideck Limitations List (HLL), Helideck Info Plate, Helideck Operations Manual, NOTAM System.	TBD	✓

(#) Threat
(#.#) Control
(#.#.#) Escalation Factor
(#.#.#.#) Escalation Control

	5.5.1.3	100% No Landing and Return to Base Procedure for Hydrocarbon and H2S venting/leaking events	Helideck Limitations List (HLL), Helideck Info Plate, Helideck Operations Manual, NOTAM System, Helicopter Operator's Ops Manual.	TBD	✓
5.5.2	Operational Control Information Not Shared With Air Operator				✓
	5.5.2.1	Procedure to Inform Air Operator Any Time Turbulence, Heat Dispersion or Gas Releases Occur	Helideck Info Plate, Helideck Operations Manual, NOTAM System, VHF Radio.	[-3] Par 8.13.1.2	✓
	5.5.2.2	HLO to Inform Pilot of Actual Turbulence, Heat Dispersion or Gas Release Events	Helideck Info Plate, Helideck Operations Manual, NOTAM System, VHF Radio.	[-3] Par 8.13.1.2	N/A
	5.5.2.3	Automatic Trigger Helideck Status Lights	[-1] 7.5 [-2] 5.5 Helideck Operations Manual, Helideck Status Lights, Back-up Generator, UPS.	[-3] Appendix 1 [-3] Appendix 3 Attachment 1 Par 3.1	✓
5.6	Use Of Helidecks Limitations List (HLL) to Dictate Helicopter Type Specific Payload Restrictions		Helideck Limitations List (HLL), Helideck Info Plate, Helideck Operations Manual, NOTAM System.	TBD	✓
	5.6.1	Pilot/HLO Unaware of HLL Limits			✓
	5.6.1.1	HLL Limits of Helideck in HLO Manual	Helideck Limitations List (HLL), Helideck Info Plate, Helideck Operations Manual, NOTAM System.	TBD	N/A
	5.6.1.2	HLL Limits of Helideck in Helideck Information Plate	Helideck Limitations List (HLL), Helideck Info Plate, Helideck Operations Manual, NOTAM System.	N/A	✓
	5.6.1.3	NOTAM System	Helideck Limitations List (HLL), Helideck Info Plate, Helideck Operations Manual, NOTAM System.	[-3] Par 8.19.1.5	✓

(#) Threat
(#.#) Control
(#.#.#) Escalation Factor
(#.#.#.#) Escalation Control




Figure 15: Threat - Platform/Vessel/Equipment/Structures generated Turbulence at Helideck

3.1.7. Platform/Vessel/Equipment/Structures generated Turbulence at Helideck

The threat of turbulence created by structures in certain wind conditions that negatively impact helicopter operations to/from/on the helideck.

				Safety Critical Equipment	Safety Critical Task	NUI
6	Platform/Vessel Equipment/Structures generated Turbulence at Helideck					
6.1	Wind and Movement Restrictions on Helideck			[-1] 4.7. Weather Equipment, Helideck Monitoring System, Helideck Info Plate, Helicopter Operations Manual, Helideck Limitations List.	[-3] Par 8.16.2	✓
	6.1.1	Equipment Malfunction				✓
		6.1.1.1	Routine Inspections And Maintenance	Helideck Operations Manual, Facility Maintenance Program.	[-3] Appendix 1	✓
		6.1.1.2	HLO Has Handheld Anemometer for Wind Speed, Direction and Barometric Pressure as back-up	Helideck Operations Manual, Facility Maintenance Program.	[-3] Appendix 1 [-3] Appendix 3 Attachment 1 Par 2.5	N/A
		6.1.1.3	Use of Nearby Platform/Vessel Weather Reporting Equipment Data	Helideck Operations Manual.	[-1] Par 9.2.3	✓
6.2	Standard Operating Procedures Confirm Stable Operating Conditions			Helideck Operations Manual	[-3] Par 8.7 thru 8.19 [-3] Par 10.2.6.3	✓
	6.2.1	Procedure not followed				✓
		6.2.1.1	Onsite Supervisor to Communicate with HLO if process onboard Platform/Vessel becomes Unstable	Helideck Operations Manual, Radio(s), PA System, Platform Alarms.	[-3] Par 8.13.1.2	N/A

(#) Threat
(#.#) Control
(#.#.#) Escalation Factor
(#.#.#.#) Escalation Control

	6.2.1.2	Helideck Team Training	Helideck Operations Manual.	[-3] Par 12.2	N/A
	6.2.1.3	HLO Competency Assessment	Helideck Operations Manual.	[-3] Par 12.2.2 [-3] Par 12.2.5 [-3] Par 12.2.6	N/A
	6.2.1.4	Automatically Triggered Helideck Status Lights	[-1] Par 7.5, [-2] Par 5.5, [-3] Par 7.5.1.5. Helideck Operations Manual, Helideck Status Lights, Back-up Generator, UPS.	[-3] Appendix 1 [-3] Appendix 3 Attachment 1 Par 3.1	✓
6.3	Computational Fluid Dynamics (CFD) Study Carried Out to Assist With Development Of Operational Controls		[-1] Par 4.4.2, [-2] Par 9.3. CFD Study Report.	TBD	✓
	6.3.1	No or Incorrect CFD Data Available			✓
	6.3.1.1	Helideck Owner Requirement to perform CFD study for new design or modifications to legacy helidecks	[-1] Par 4.4.2, [-2] Par 9.3. CFD Study Report.	TBD	✓
	6.3.1.2	Implement Helideck Limitations List (HLL) restrictions per Helicopter Type for each flight	Helideck Limitations List (HLL), Helideck Info Plate, Helideck Operations Manual, NOTAM System.	TBD	✓
	6.3.1.3	100% No Landing and Return to Base Procedure for Hydrocarbon and H2S venting/leaking events	Helideck Limitations List (HLL), Helideck Info Plate, Helideck Operations Manual, NOTAM System, Helicopter Operator's Ops Manual.	TBD	✓
	6.3.2	Operational Control Information Not Shared With Air Operator			✓
	6.3.2.1	Procedure to Inform Air Operator Any Time Turbulence, Heat Dispersion or Gas Releases Occur	Helideck Info Plate, Helideck Operations Manual, NOTAM System, VHF Radio.	[-3] Par 8.13.1.2	✓
	6.3.2.2	HLO to Inform Pilot of Actual Turbulence, Heat Dispersion or Gas Release Events	Helideck Info Plate, Helideck Operations Manual, NOTAM System, VHF Radio.	[-3] Par 8.13.1.2	N/A
	6.3.2.3	Automatic Trigger Helideck Status Lights	[-1] Par 7.5 [-2] Par 5.5 Helideck Operations Manual, Helideck Status Lights, Back-up Generator, UPS.	[-3] Appendix 1 [-3] Appendix 3 Attachment 1 Par 3.1	✓

(#) Threat
(#.#) Control
(#.#.#) Escalation Factor
(#.#.#.#) Escalation Control




Figure 16: Threat - Helicopter Size/Weight exceeds Helideck Design/Capability

3.1.8. Helicopter Size/Weight exceeds Helideck Design/Capability

The threat of a mismatch of helicopter type and helideck capability where either the helicopter weight/size exceeds the helideck design or the helideck design is not compliant with design standards to safely accommodate the helicopter type.

			Safety Critical Equipment	Safety Critical Task	NUI
7	Helicopter Size/Weight exceeds Helideck Design/Capability				
7.1	Helideck Information Plates		[-4]. Helideck Operations Manual.	[-3] Par 5.2.1.7. [-3] Par 5.2.2.1.e) [-3] Par 7.2.2, [-3] Par 10.6.2	✓
7.2	Helideck Design Complies With HSAC RP 2016-01/-02 or CAP 437 Requirements		[-1], [-2]. Helideck Commissioning Compliance Report, Annual Helideck Inspection.	[-3] Par 11.4.4.	✓
7.3	Size and Weight Properly Marked On Helideck		[-1] Par 6.5 [-2] Par 4.5 [-3] Par 7.3.6.2.f), [-3] Par 7.4. Helideck Markings Drawing, Helideck Operations Manual, Helideck Commissioning Compliance Report, Annual Helideck Inspection Report.	[-3] Par 7.3.8.2, [-3] Par 7.4.	✓

(#) Threat
(#.#) Control
(#.#.#) Escalation Factor
(#.#.#.#) Escalation Control

7.3.1		Markings Degraded/Invisible			✓
	7.3.1.1	Routine Inspections And Maintenance	Helideck Operations Manual, Facility Maintenance Program.	[-3] Par 7.3.8.2, [-3] Appendix 1, [-3] Appendix 3 Attachment 1 Par 1.2 and 1.3, [-3] Appendix 3 Attachment 3 Par 3, [-3] Appendix 3 Attachment 4.	✓
	7.3.1.2	HLO Checklist Item	Helideck Operations Manual.	[-3] Par 7.4.2.1, [-3] Par 10.3.2.3, [-3] Appendix 1, [-3] Appendix 3 Attachment 1 Par 1.2 and 1.3, [-3] Appendix 3 Attachment 3 Par 3, [-3] Appendix 3 Attachment 4.	N/A
	7.3.1.3	Annual Helideck Inspection	Helideck Operations Manual, Annual Helideck Inspection Report	[-3] Par 11.4.4, [-3] Appendix 3 Attachment 4.	✓
	7.3.1.4	Pilot Reporting and Feedback	Helicopter Operator's Ops Manual	TBD	✓
7.4	Annual Helideck Inspection		Helideck Operations Manual, Annual Helideck Inspection Report	[-3] Par 11.4.4, [-3] Appendix 3 Attachment 4.	✓

(#) Threat
(#.#) Control
(#.#.#) Escalation Factor
(#.#.#.#) Escalation Control




Figure 17: Threat - Helideck Structural Integrity Compromised

3.1.9. Helideck Structural Integrity Compromised

The threat of a helideck's structural integrity being degraded to a level where it does not meet the design requirement anymore and compromises safe helicopter operations to the helideck. Examples are corroded structural beams or holes in helideck landing surface or perimeter netting/safety shelf.

			Safety Critical Equipment	Safety Critical Task	NUI
8	Helideck Structural Integrity Compromised				
8.1	Routine Inspections And Maintenance		Helideck Operations Manual, Facility Maintenance Program.	[-3] Par 6.1, [-3] Par 6.2, [-3] Appendix 1, [-3] Appendix 3 Attachment 1 Par 1.8.	✓
8.2	Annual Integrity Inspections		Helideck Operations Manual, Facility Maintenance Program, Structural Integrity Report.	[-3] Par 6.1, [-3] Par 6.2, [-3] Appendix 1, [-3] Appendix 3 Attachment 1 Par 1.8.	✓
8.3	Safety Buffers Used During Design Phase With Heavy Landing and Emergency Landing Loads Used		[-1] Par 5.2. Helideck Operations Manual, Helideck Commissioning Compliance Report.	N/A	✓

(#) Threat
(#. #) Control
(#. #. #) Escalation Factor
(#. #. #. #) Escalation Control




Figure 18: Threat - Inadequate Helideck Lighting/Markings

3.1.10. Inadequate Helideck Lighting/Markings

The threat of missing, misleading or illegible markings, or missing or non-functional lighting to helicopter operations, where either the marking scheme or lighting arrangement is non-compliant with HSAC RP2016-01/-02 or CAP 437 or serviceability/readability of compliant lighting/markings is not assured.

				Safety Critical Equipment	Safety Critical Task	NUI
9	Inadequate Helideck Lighting/Markings					
9.1	Lighting Maintained under Maintenance Program			[-1] Chapter 7, [-2] Chapter 5. Helideck Operations Manual, Facility Maintenance Program.	[-3] Par 7.6, [-3] Par 8.3.2, [-3] Par 9.13.1, [-3] Par 11.5.4, [-3] Appendix 1, [-3] Appendix 3 Attachment 1 Par 3, [-3] Appendix 3 Attachment 2, [-3] Appendix 3 Attachment 4.	✓
	9.1.1	Electrical Malfunction				✓
		9.1.1.1	Lighting Connected to Emergency Back-up Generator/UPS	[-1] Par 7.7 [-2] Par 5.7 [-3] Par 7.5.1.6	[-3] Appendix 3 Attachment 1 Par 3	✓

(#) Threat
(#.#) Control
(#.#.#) Escalation Factor
(#.#.#.#) Escalation Control

	9.1.1.2	Daily Check	[-1] Chapter 7, [-2] Chapter 5. Helideck Operations Manual, Facility Maintenance Program.	[-3] Appendix 3 Attachment 2	N/A
	9.1.1.3	Adequate Spare Light(bulbs) Available	[-3] Appendix 3 Attachment 1 Par 3.1. Spare Light Bulbs.	[-3] Appendix 3 Attachment 1 Par 3.1	N/A
9.2	Helideck Design Complies With Marking and Lighting Requirements in HSAC RP 2016-01/-02 or CAP 437		[-1] Chapter 6, [-1] Chapter 7, [-2] Chapter 4, [-2] Chapter 5. Helideck Operations Manual, Helideck Commissioning Compliance Report, Annual Helideck Inspection Report.	[-3] Par 11.4.4 [-3] Appendix 3 Attachment 4	✓
	9.2.1	Degradation/Change of Markings/Lighting			✓
	9.2.1.1	MOC Process	Helideck Operations Manual.	TBD	✓
	9.2.1.2	Compliance Check/Commissioning or Certification of Helideck	[-1] Chapter 6, [-1] Chapter 7, [-2] Chapter 4, [-2] Chapter 5. Helideck Operations Manual, Helideck Commissioning Compliance Report.	[-3] Par 11.4.4 [-3] Appendix 3 Attachment 4	✓
	9.2.1.3	Annual Helideck Inspection	Helideck Operations Manual, Annual Helideck Inspection Report	[-3] Par 11.4.4, [-3] Appendix 3 Attachment 4.	✓
	9.2.2	Inherited Legacy/Non-Compliant Markings/Lighting			✓
	9.2.2.1	MOC Process to Comply with HSAC RP 2016-02 or CAP 437	[-2] Helideck Operations Manual.	TBD	✓
	9.2.2.2	Compliance Check/Commissioning or Certification of Helideck	[-1] Chapter 6, [-1] Chapter 7, [-2] Chapter 4, [-2] Chapter 5. Helideck Operations Manual, Helideck Commissioning Compliance Report.	[-3] Par 11.4.4 [-3] Appendix 3 Attachment 4	✓
	9.2.2.3	Annual Helideck Inspection	Helideck Operations Manual, Annual Helideck Inspection Report	[-3] Par 11.4.4, [-3] Appendix 3 Attachment 4.	✓

(#) Threat
(#.#) Control
(#.#.#) Escalation Factor
(#.#.#.#) Escalation Control




Figure 19: Threat - Refueling with Contaminated Fuel

3.1.11. Refueling with Contaminated Fuel

The threat of having offshore refueling performed with contaminated fuel causing the helicopter engines not to perform as expected. Contamination could consist of (suspended) water, particulates or biological growth.

				Safety Critical Equipment	Safety Critical Task	NUI
10	Refueling with Contaminated Fuel					
10.1	Helicopter Pilot Accepts Shown Fuel Sample			<div>[-1] Chapter 8</div> <div>[-2] Chapter 7</div> <div>[-3] Appendix 4</div> <div>Attachment 1 Par 3.2.3,</div> <div>Par 4.4, Par 4.7.5, Par 5,</div> <div>Par 6.3.1.6,</div> <div>Helideck Operations</div> <div>Manual.</div>	<div>[-3] Par 9.6 (2),</div> <div>[-3] Par 10.7.4.2,</div> <div>[-3] Appendix 3</div> <div>Attachment 1 Par 1.8,</div> <div>[-3] Appendix 4</div> <div>Attachment 1 Par 4.7.5</div> <div>[-3] Appendix 4</div> <div>Attachment 1 Par 5</div> <div>[-3] Appendix 4</div> <div>Attachment 3</div>	✓
	10.1.1	Fuel Sample Not Shown				N/A
		10.1.1.1	Daily Fuel System Checklist Signoff	<div>[-3] Par 10.7.4,</div> <div>[-3] Appendix 4 Attachment</div> <div>3,</div> <div>Helideck Operations</div> <div>Manual.</div>	<div>[-3] Appendix 4 Attachment</div> <div>3,</div> <div>[-3] Appendix 4 Attachment</div> <div>7.</div>	N/A
		10.1.1.2	HLO Manual	<div>[-3] Appendix 4 Attachment</div> <div>3.</div>	<div>[-3] Appendix 4 Attachment</div> <div>3.</div>	N/A

(#) Threat
(#.#) Control
(#.#.#) Escalation Factor
(#.#.#.#) Escalation Control

		Helideck Operations Manual.	[-3] Appendix 4 Attachment 7.	
10.1.1.3	Trained Operators	[-3] Par 10.7.3.2, [-3] Chapter 12, Helideck Operations Manual.	[-3] Par 12.2, [-3] Appendix 4 Attachment 7 Par 9.1.	N/A
10.1.1.4	Marked and Dated Sample Jars Retained	Helideck Operations Manual.	TBD	N/A
10.1.1.5	Pilot Option To Request Re-Take Sample	Helideck Operations Manual.	TBD	N/A
10.1.2	Wrong/Contaminated Fuel Sample Shown			N/A
10.1.2.1	Marked and Dated Sample Jars Retained	Helideck Operations Manual.	TBD	N/A
10.1.2.2	Use of Water Detector Capsules	Helideck Operations Manual, Water Detector Capsules	[-3] Appendix 4 Attachment 7 Par 9.1.	N/A
10.1.2.3	Jar Swirl Technique to Find Particles	Helideck Operations Manual.	TBD	N/A
10.1.2.4	HLO Manual	[-3] Appendix 4 Attachment 3, Helideck Operations Manual.	[-3] Appendix 4 Attachment 3, [-3] Appendix 4 Attachment 7.	N/A
10.1.2.5	Trained Operators	[-3] Par 10.7.3.2, [-3] Chapter 12, Helideck Operations Manual.	[-3] Par 12.2, [-3] Appendix 4 Attachment 7 Par 9.1.	N/A
10.1.2.6	Jar Cleaning Procedure Prior To Taking New Sample	Helideck Operations Manual	TBD	N/A
10.1.2.7	Pilot Option To Request Re-Take Sample	Helideck Operations Manual.	TBD	N/A
10.2	Fuel Sampled From Multiple Points Daily	[-1] Chapter 8 [-2] Chapter 7 [-3] Appendix 4 Attachment 1 Par 3.2.3, Par 4.4, Par 4.7.5, Par 5, Par 6.3.1.6, Helideck Operations Manual.	[-3] Par 9.6 (2), [-3] Par 10.7.4.2, [-3] Appendix 3 Attachment 1 Par 1.8, [-3] Appendix 4 Attachment 1 Par 4.7.5 [-3] Appendix 4 Attachment 1 Par 5 [-3] Appendix 4 Attachment 3	✓
10.2.1	Failure to Follow Procedures			✓
10.2.1.1	Helicopter Operations Audit	TBD	TBD	✓
10.2.1.2	Refueler Trainer/Certification	[-3] Par 10.7.3.2, [-3] Chapter 12, Helideck Operations Manual.	[-3] Par 12.2, [-3] Appendix 4 Attachment 7 Par 9.1.	N/A

(#) Threat
(#.#) Control
(#.#.#) Escalation Factor
(#.#.#.#) Escalation Control

10.2.1.3	HLO Manual	[-3] Appendix 4 Attachment 3, Helideck Operations Manual.	[-3] Appendix 4 Attachment 3, [-3] Appendix 4 Attachment 7.	N/A
10.2.1.4	Daily Fuel System Checklist Signoff	[-3] Par 10.7.4, [-3] Appendix 4 Attachment 3, Helideck Operations Manual.	[-3] Appendix 4 Attachment 3, [-3] Appendix 4 Attachment 7.	N/A
10.2.1.5	Marked and Dated Sample Jars Retained	Helideck Operations Manual.	TBD	N/A
10.2.1.6	Annual Fuel System/Helideck Inspection	Helideck Operations Manual, Annual Helideck Inspection Report, Annual Fuel System Inspection Report.	[-3] Par 7.2.5, [-3] Par 10.2.4, [-3] Par 10.2.5, [-3] Par 11.4.4, [-3] Appendix 3 Attachment 4, [-3] Appendix 4 Attachment 7	✓
10.2.2	Wrong Tote Tank or Hose Used			✓
10.2.2.1	Tote Tanks Labeled	[-1] Par 8.4 [-3] Par 2.1.1 [-3] Appendix 4 Attachment 1 Par 3.1 [-3] Appendix 4 Attachment 1 Par 4.6 Helideck Operations Manual, Facility Maintenance Program.	[-3] Appendix 4 Attachment 1 Par 4.6	✓
10.2.2.2	Standard Hose Couplings/Connectors for Jet-Fuel Only	TBD	[-3] Appendix 4 Attachment 2 Par 1.4 [-3] Appendix 4 Attachment 6 Par 1.3 & 8.1 [-3] Appendix 4 Attachment 8	✓
10.2.2.3	Trained Operators	Helideck Operations Manual or separate Fuel Operations Manual	[-3] Par 12.5 [-3] Appendix 3 Attachment 3 Par 2.7 [-3] Appendix 4 Attachment 7 Par 13 [-3] Appendix 4 Attachment 9 Par 2	✓
10.2.2.4	Sampling/Sumping Before Decanting	Helideck Operations Manual or separate Fuel Operations Manual	TBD	✓

(#) Threat
(#.#) Control
(#.#.#) Escalation Factor
(#.#.#.#) Escalation Control

10.2.3		Wrong Shipment			✓
	10.2.3.1	Product Quality Assurance at Filling Location	Helideck Operations Manual or separate Fuel Operations Manual	[-3] Appendix 4 Attachment 2 Par 4.1	✓
	10.2.3.2	Verification of Accompanying Paperwork	Helideck Operations Manual or separate Fuel Operations Manual	[-3] Appendix 4 Attachment 8 TBD	✓
	10.2.3.3	Trained Operators	Helideck Operations Manual or separate Fuel Operations Manual	[-3] Par 12.5 [-3] Appendix 3 Attachment 3 Par 2.7 [-3] Appendix 4 Attachment 7 Par 13 [-3] Appendix 4 Attachment 9 Par 2	✓
10.3	Fuel System Maintained under Planned Maintenance System		[-1] Chapter 8, [-2] Chapter 7, [-3] Appendix 4. Helideck Operations Manual or separate Fuel Operations Manual, Facility Maintenance Program	[-3] Appendix 4.	✓
	10.3.1	Inspections Not Performed			✓
	10.3.1.1	Inspections Entered Into Maintenance Management System	Helideck Operations Manual or separate Fuel Operations Manual, Facility Maintenance Program	[-3] Appendix 4 Attachment 2	✓
	10.3.1.2	Annual Inspection/Filter Changes by Helicopter Operator	Helideck Operations Manual or separate Fuel Operations Manual, Facility Maintenance Program	[-3] Appendix 4.	✓
	10.3.1.3	Due Date/Last Inspection Date Marked On Equipment	Helideck Operations Manual or separate Fuel Operations Manual, Facility Maintenance Program	[-3] Appendix 4 Attachment 1 Par 6.3.1.8 & Par 6.8.1.6	✓

(#) Threat
(#.#) Control
(#.#.#) Escalation Factor
(#.#.#.#) Escalation Control

10.4	Fuel System is Designed to HSAC RP 2016-01/-02 or CAP 437 Standard	[-1] Chapter 8, [-2] Chapter 7, [-3] Appendix 4. Helideck Operations Manual, Helideck Commissioning Compliance Report, Annual Helideck Inspection Report.	[-2] Chapter 7, [-3] Appendix 4.	✓
------	--	---	-------------------------------------	---

(#) Threat
(#. #) Control
(#. #. #) Escalation Factor
(#. #. #. #) Escalation Control




Figure 20: Threat - Foreign Object Debris (FOD) enters Helicopter Engine/Downwash blows Items Away

3.1.12. Foreign Object Debris (FOD) enters Helicopter Engine/Downwash blows Items Away

The threat of Foreign Object Debris (FOD) negatively impacting helicopter (engine) performance or posing a threat by being blown around by helicopter downwash injuring people or damaging property.

				Safety Critical Equipment	Safety Critical Task	NUI
11	Foreign Object Debris (FOD) enters Helicopter Engine/Downwash blows Items Away					
11.1	Restrictions Applied to Passenger Baggage Type and Headwear			N/A	[-3] Par 7.9, [-3] Par 9.12.3, [-3] Par 12.8. TBD	✓
	11.1.1	Failure To Follow Procedures				✓
	11.1.1.1	Onshore and Offshore Signage		[-3] Par 9.12.2.2	[-3] Par 9.12.2.2	✓
	11.1.1.2	Video Briefing		[-3] Par 9.12.2.2 [-3] Par 9.12.4 [-3] Appendix 1 [-3] Appendix 3 Attachment 4. Helideck Operations Manual.	[-3] Par 9.12.2.2 [-3] Par 9.12.4 [-3] Appendix 1 [-3] Appendix 3 Attachment 4	✓
	11.1.1.3	Pre-boarding Check Of Passengers By Helideck Team Member		Helideck Operations Manual.	[-3] Par 7.9.2 [-3] Par 9.1.1.h)	N/A
	11.1.1.4	HLO Supervision/Intervention		Helideck Operations Manual.	[-3] Par 9.1.1..	N/A

(#) Threat
(#.#) Control
(#.#.#) Escalation Factor
(#.#.#.#) Escalation Control

11.2	Relevant Loose Equipment (e.g. box lids) Are Properly Secured To Prevent Uplift from Helicopter Downwash			Helideck Operations Manual.	[-3] Par 7.3.6.2.g), [-3] Par 8.18.3, [-3] Par 9.1.1, [-3] Appendix 3 Attachment 2, [-3] Appendix 3 Attachment 4.	✓
	11.2.1	Failure To Follow Procedures				✓
		11.2.1.1	HLO Pre-Arrival Checklist	Helideck Operations Manual.	[-3] Par 9.3	N/A
		11.2.1.2	Helideck Team Training	Helideck Operations Manual.	[-3] Chapter 12	N/A
		11.2.1.3	Helideck Team Exercises	Helideck Operations Manual.	[-3] Par 13.6 & 13.7, [-3] Appendix 3 Attachment 4.	N/A
		11.2.1.4	Competency Assessment	Helideck Operations Manual.	[-3] Par 12.2.6, [-3] Appendix 3 Attachment 4.	N/A
		11.2.1.5	Annual Helideck Inspection	Helideck Operations Manual, Annual Helideck Inspection Report	[-3] Par 11.4.4, [-3] Appendix 3 Attachment 4.	✓
		11.2.1.6	HLO Supervision/Intervention	Helideck Operations Manual.	[-3] Par 9.1.1..	N/A
11.3	Correct Packaging of Cargo and Baggage at Shore Base and on Platform/Vessel			[-3] Par 7.9.6, [-3] Par 9.12.5. Helideck Operations Manual.	TBD	✓
	11.3.1	Failure to Follow Procedures				✓
		11.3.1.1	Dangerous Goods/Hazardous Materials Trained Personnel	Helideck Operations Manual.	[-3] Par 12.2.2, [-3] Par 12.8.	✓
		11.3.1.2	Dangerous Goods Awareness Helideck Team	Helideck Operations Manual.	[-3] Par 12.2.2, [-3] Par 12.8.	N/A
		11.3.1.3	HLO Manual	[-3] Appendix 4 Attachment 3, Helideck Operations Manual.	[-3] Appendix 4 Attachment 3, [-3] Appendix 4 Attachment 7.	N/A
		11.3.1.4	Helideck Team Training	Helideck Operations Manual.	[-3] Chapter 12	N/A
		11.3.1.5	Helideck Team Exercises	Helideck Operations Manual.	[-3] Par 13.6 & 13.7, [-3] Appendix 3 Attachment 4.	N/A

(#) Threat
(#.#) Control
(#.#.#) Escalation Factor
(#.#.#.#) Escalation Control

	11.3.1.6	Competency Assessment	Helideck Operations Manual.	[-3] Par 12.2.6, [-3] Appendix 3 Attachment 4.	N/A
	11.3.1.7	Annual Helideck Inspection	Helideck Operations Manual, Annual Helideck Inspection Report	[-3] Par 11.4.4, [-3] Appendix 3 Attachment 4.	✓
11.4	Inspection of Helideck & Critical Areas Nearby by HLO prior to Helicopter Arrival		Helideck Operations Manual.	[-3] Par 9.3	N/A
	11.4.1	Failure To Follow Procedures			N/A
	11.4.1.1	HLO Pre-Arrival Checklist	Helideck Operations Manual.	[-3] Par 9.3	N/A
	11.4.1.2	Helideck Team Training	Helideck Operations Manual.	[-3] Chapter 12	N/A
	11.4.1.3	Competency Assessment	Helideck Operations Manual.	[-3] Par 12.2.6, [-3] Appendix 3 Attachment 4.	N/A
	11.4.1.4	Helideck Team Exercises	Helideck Operations Manual.	[-3] Par 13.6 & 13.7, [-3] Appendix 3 Attachment 4.	N/A
	11.4.1.5	Annual Helideck Inspection	Helideck Operations Manual, Annual Helideck Inspection Report	[-3] Par 11.4.4, [-3] Appendix 3 Attachment 4.	N/A
11.5	Closing Off Helideck and Surrounding Area just before and during Helideck Operations		Helideck Operations Manual.	[-3] Par 9.3, [-3] Appendix 3 Attachment 2.	N/A
	11.5.1	Individuals Entering Helideck and Surrounding Area during Helideck Operations			N/A
	11.5.1.1	Frangible Barriers with Warning Signs in Place During Helideck Operations	Helideck Operations Manual.	[-3] Par 9.3, [-3] Appendix 3 Attachment 2.	N/A
	11.5.1.2	Positive Control by Helideck Team Member of Passenger in Waiting Area	[-3] Par 7.2.1 Helideck Operations Manual.	[-3] Par 9.1.1.g),	N/A
	11.5.1.3	HLO Supervision On Helideck/ Intervention	Helideck Operations Manual.	[-3] Par 9.1.1..	N/A
	11.5.1.4	Annual Helideck Inspection	Helideck Operations Manual, Annual Helideck Inspection Report	[-3] Par 11.4.4, [-3] Appendix 3 Attachment 4.	N/A

(#) Threat
(#.#) Control
(#.#.#) Escalation Factor
(#.#.#.#) Escalation Control




Figure 21: Threat - Helicopter Weight Exceeds Max Take-Off Weight

3.1.13. Helicopter Weight Exceeds Max Take-Off Weight

The threat of a helicopter being overloaded, meaning exceeding the specific payload capability for the environmental conditions at time of flight, or the loading of the helicopter resulting in a center of gravity (CoG) outside the flight envelope, either directly due to incorrect weight distribution or wrong/lack of securing passengers/baggage/cargo resulting in a weight shift in flight and subsequent helicopter handling problems due to shift of CoG outside limits.

					Safety Critical Equipment	Safety Critical Task	NUI
12	Helicopter Weight Exceeds Max Take-Off Weight (Overloading passengers/baggage/cargo)						
	12.1	Fuel Uplift Amount Cross Check			Helideck Operations Manual or separate Fuel Operations Manual	TBD	✓
		12.1.1	Requested Fuel Amount Does Not Match Uplift Amount				✓
			12.1.1.1	Verification of Requested Fuel Amount By HLO	Helideck Operations Manual or separate Fuel Operations Manual	TBD	N/A
			12.1.1.2	Pilot Monitoring Uplift On Gauges/FMS	Helideck Operations Manual or separate Fuel Operations Manual	TBD	✓
			12.1.1.3	HLO Monitoring Uplift On Fuel Cabinet Gauge	Helideck Operations Manual or separate Fuel Operations Manual	[-3] Appendix 4 Attachment 9	N/A
			12.1.1.4	Communications To Shut-Off Fuel Uplift	Helideck Operations Manual or separate Fuel Operations Manual	TBD	N/A
	12.2	Weekly inbound Weight Inspections (Re-weigh) at Onshore Heliport			Helideck Operations Manual	TBD	✓

(#) Threat
(#.#) Control
(#.#.#) Escalation Factor
(#.#.#.#) Escalation Control

12.3	Helicopter Pilots Make Calculation of Weight and Balance for Each Flight Leg			Helicopter Operator's Ops Manual	TBD	✓
12.3.1	Failure To Follow Procedure					✓
12.3.1.1	Pilot Training and Competence			Helicopter Operator's Training Manual.	TBD	✓
12.3.1.2	Procedure and Limits in Rotorcraft Flight Manual and Ops Manual			Helicopter Operator's Ops Manual	TBD	✓
12.3.1.3	Use of Standardized Flight Sheets			Helicopter Operator's Ops Manual	TBD	✓
12.4	Helicopter Operators' Ops Manuals stipulate Maximum Weight Restrictions			Helicopter Operator's Ops Manual	TBD	✓
12.4.1	Failure To Follow Procedure					✓
12.4.1.1	Pilot Training and Competence			Helicopter Operator's Training Manual.	TBD	✓
12.4.1.2	Procedure and Limits in Rotorcraft Flight Manual and Ops Manual			Helicopter Operator's Ops Manual	TBD	✓
12.4.1.3	Use of Standardized Flight Sheets			Helicopter Operator's Ops Manual	TBD	✓
12.5	Accurate Manifest Prepared for All Helicopter Flights. Passengers, Baggage and Cargo Weights Recorded.			Helideck Operations Manual, Calibrated Heavy Duty Scales.	[-3] Par 7.9.5 [-3] Par 9.3 [-3] Par 9.12.3 [-3] Par 9.12.5 [-3] Appendix 3 Attachment 1 Par 5.1	✓
12.5.1	Failure to Prepare Proper Manifest					✓
12.5.1.1	Audit Process			Helideck Operations Manual	TBD	✓
12.5.1.2	Passengers, Baggage and Cargo Weighed On Calibrated Scales			Helideck Operations Manual, Calibrated Heavy Duty Scales.	[-3] Par 7.9.5 [-3] Par 9.3 [-3] Par 9.12.3 [-3] Par 9.12.5 [-3] Appendix 3 Attachment 1 Par 5.1 [-3] Appendix 6.	✓
12.5.1.3	HLO/Logistics Clerk Training			Helideck Operations Manual	[-3] Par 12.2 TBD	N/A
12.5.1.4	Pilot Supervision/Verification Of Manifested Items During Loading			Helicopter Operator's Ops Manual	TBD	✓
12.5.1.5	Pilot Cross-Check of Offshore Manifest With Onshore Data Provided Prior to Arrival			Helicopter Operator's Ops Manual	TBD	✓





Figure 22: Threat - Unknown/Not Allowed Dangerous Goods/Hazardous Materials loaded onto helicopter

3.1.14. Unknown/Not Allowed Dangerous Goods/Hazardous Materials loaded onto helicopter

The threat of Dangerous Goods (DG)/Hazardous Materials (HazMat) being loaded onto the helicopter unknowingly, in quantities/weights exceeding regulations or packaged/labeled incorrectly. Also the combination of passengers and DG/HazMat cargo can be non-compliant.

			Safety Critical Equipment	Safety Critical Task	NUI
13	Unknown/Not Allowed Dangerous Goods/Hazardous Materials loaded onto helicopter				
13.1	Platform/Vessel Policy Prohibits DG/HazMat Materials Shipment By Air (if applicable)		Helideck Operations Manual	TBD	✓
13.2	DG/HazMat Packaging and Labeling iaw Regulations		Helideck Operations Manual	[-3] Par 7.2.1.2, [-3] 7.9.2, [-3] Par 9.12.5 [-3] Par 12.1, [-3] Par 12.2.2, [-3] Par 12.8	✓
	13.2.1	Failure to Package and Label Correctly			✓
	13.2.1.1	All Cargo Shipments Checked for DG/HazMat by HLO	Helideck Operations Manual	[-3] Par 7.2.1.2, [-3] Par 9.12.5, Add to [-3] Par 9.1.1 TBD	N/A
	13.2.1.2	All DG/HazMat Shipments Prepared By DG/HazMat Shipper Certified Person	Helideck Operations Manual	TBD	✓
	13.2.1.3	Hand Search or X-ray use for Baggage and Cargo Shipments	Helideck Operations Manual	TBD	✓

(#) Threat
(#.#) Control
(#.#.#) Escalation Factor
(#.#.#.#) Escalation Control

13.3	Notification of Any Allowed Dangerous Goods/Hazardous Materials to Pilot, And Necessary Documentation Prepared	Helideck Operations Manual	[-3] Par 9.3 TBD	✓
13.3.1	Lack of Communication			✓
13.3.1.1	Manifesting Procedures	Helideck Operations Manual	[-3] Par 9.12.5.2 TBD	✓
13.3.1.2	DG/HazMat Labeling of Packages	Helideck Operations Manual	TBD	✓
13.3.1.3	HLO Supervision/Intervention	Helideck Operations Manual	TBD	N/A
13.3.1.4	Pilot Supervision/Intervention	Helicopter Operator's Ops Manual	TBD	✓
13.4	Personnel Completing Documentation for DG/HazMat have Completed DG/HazMat Shipper Course	Helideck Operations Manual	[-3] Par 9.12.5.2 [-3] Par 12	✓
13.4.1	Unqualified Personnel Signing DG/HazMat Documentation			✓
13.4.1.1	Platform/Vessel Register of Authorized Shippers	Helideck Operations Manual	TBD	✓
13.4.1.2	HLO Supervision/Intervention	Helideck Operations Manual	TBD	N/A
13.4.1.3	Pilot Supervision/Intervention and Mandatory Reporting To Authorities	Helicopter Operator's Ops Manual	TBD	✓
13.4.1.4	DG/HazMat Violation Penalties/Fines	Helideck Operations Manual	TBD	✓
13.5	Manifests Produced, Including Material Data Sheets (MDS)	Helideck Operations Manual	TBD	✓
13.6	Helideck Team Members Trained for DG/HazMat Awareness	Helideck Operations Manual	[-3] Par 12.2.2, [-3] Par 12.8.	N/A
13.7	Pilot Supervision/Verification Of Manifested Items During Loading and Subsequent Acceptance	Helicopter Operator's Ops Manual	TBD	✓

(#) Threat
(#.#) Control
(#.#.#) Escalation Factor
(#.#.#.#) Escalation Control




Figure 23: Threat - Disruptive or Non-Compliant Passenger Behavior

3.1.15. Disruptive or Non-Compliant Passenger Behavior

The threat of on-boarding passengers in an altered state of mind, under the influence of drugs or alcohol where it impacts safe self-egress from the helicopter in an emergency, or disruptive in any other way that could cause harm to the intended helicopter flight and/or its passengers and crew.

				Safety Critical Equipment	Safety Critical Task	NUI
14	Disruptive or Non-Compliant Passenger Behavior					
14.1	Procedures For Transporting Passengers With Altered State Of Mind			Helideck Operations Manual	[-3] Par 9.12.6 TBD	✓
	14.1.1	Failure To Follow Procedures				✓
		14.1.1.1	Helideck Team Member To Observe Passengers During Showing of Passenger Safety Briefing Video	Helideck Operations Manual, Pax Safety Briefing Video.	TBD	N/A
		14.1.1.2	Offshore Installation Manager/Vessel Master/Medic Has Responsibility To Report Potential Pax Issue to HLO and Pilot	Helideck Operations Manual	[-3] Par 9.12.6 TBD	✓
14.2	Offshore Survival and HUET Training includes guidance on behavior required by Offshore Helicopter Passengers			Helideck Operations Manual	[-3] Par 12.7	✓
	14.2.1	Personnel Not Trained				✓
		14.2.1.1	HUET Training Checked Upon Check-in Before Flight	Helideck Operations Manual	TBD	✓
		14.2.1.2	Restricted Variance Process	Helideck Operations Manual	TBD	✓
14.3	"With Cause" Substance Abuse Testing Carried Out Where There is Suspicion of Condition of Passenger			Helideck Operations Manual	TBD	✓
14.4	HLO/Heliport Personnel Ensure Pre-Flight Passenger Safety Briefing(s) Are Carried Out And Observed By All Passengers			Helideck Operations Manual, Pax Safety Briefing Video.	TBD	✓

(#) Threat
(#.#) Control
(#.#.#) Escalation Factor
(#.#.#.#) Escalation Control




Figure 24: Threat - Landing in Adverse Weather Conditions

3.1.16. Landing in Adverse Weather Conditions

The threat of landing a helicopter in adverse weather conditions that not meet the minimum weather requirements for the type of flight (IFR/VFR) and or Enhance Operational Control (EOC) conditions set by the helicopter operator.

				Safety Critical Equipment	Safety Critical Task	NUI
15	Landing in Adverse Weather Conditions					
15.1	Compliance With Adverse Weather Procedures			Helideck Operations Manual	[-3] Par 7.2.8, [-3] Par 815.1, [-3] Par 9.11, [-3] Appendix 3 Attachment 4.	✓
	15.1.1	Failure To Follow Procedures				✓
	15.1.1.1	Audit Process		Helideck Operations Manual, Annual Helideck Inspection Report.	[-3] Par 11.4.4, [-3] Appendix 3 Attachment 4.	✓
	15.1.1.2	Training And Competency Of Pilots		Helicopter Operator's Training Manual	TBD	✓
	15.1.1.3	Training And Competency of HLO		Helideck Operations Manual	[-3] Par 12.2 TBD	N/A

(#) Threat
(#.#) Control
(#.#.#) Escalation Factor
(#.#.#.#) Escalation Control

15.1.2	Weather Situation Unknown				✓
	15.1.2.1	Use of 'Official' Weather For Flight Planning Purposes	[-1] Chapter 9. Helideck Operations Manual, Helicopter Operator's Ops Manual, AWOS/ASOS.	TBD	✓
	15.1.2.2	Enhanced Operational Control Procedures In Place	Helicopter Operator's Ops Manual	TBD	✓
	15.1.2.3	Helicopter Operator Comms/Ops Center Monitors Flight Conditions and PIREPS	Helicopter Operator's Ops Manual	TBD	✓
	15.1.2.4	AWOS/ASOS/Wx Observer Offshore	[-1] Chapter 9. Helideck Operations Manual, Helicopter Operator's Ops Manual, AWOS/ASOS.	[-3] Par 12.6, [-3] Appendix 7	✓
15.1.3	Weather Limits Unknown				✓
	15.1.3.1	Weather Limits in Platform/Vessel MOPO	Helideck Operations Manual, MOPO	[-3] Par 7.2.4 [-3] Par 8.1 [-3] Par 8.15.1.3 [-3] Appendix 2	N/A
	15.1.3.2	Weather Limits in Air Operator's OPS Manual	Helicopter Operator's Ops Manual	TBD	✓
	15.1.3.3	Initial and Recurrent Pilot Training	Helicopter Operator's Training Manual.	TBD	✓
	15.1.3.4	Air Operator's Comms/OPS Center Monitoring	Helicopter Operator's Ops Manual	TBD	✓
15.2	Provision of Helideck Lighting		[-1] Chapter 7 [-1] Par A.5 [-2] Chapter 5 Perimeter Lights, Helideck Status Lights, Obstruction Lights, Flood Lights, Windsock Lights. Helideck Operations Manual, Facility Maintenance Program.	[-3] Par 7.6, [-3] Par 8.3.2, [-3] Par 9.13.1, [-3] Par 11.5.4, [-3] Appendix 1, [-3] Appendix 3 Attachment 1 Par 3, [-3] Appendix 3 Attachment 2, [-3] Appendix 3 Attachment 4.	✓
15.2.1	Short Term Electrical Failure				✓

(#) Threat
(#.#) Control
(#.#.#) Escalation Factor
(#.#.#.#) Escalation Control

15.2.1.1	Routine Inspections and Maintenance	[-1] Chapter 7, [-2] Chapter 5, Helideck Operations Manual, Facility Maintenance Program.	[-3] Par 7.6, [-3] Par 8.3.2, [-3] Par 9.13.1, [-3] Par 11.5.4, [-3] Appendix 1, [-3] Appendix 3 Attachment 1 Par 3, [-3] Appendix 3 Attachment 2, [-3] Appendix 3 Attachment 4.	✓
15.2.1.2	Lighting Connected To Emergency Back-up Generator / UPS	[-1] Par 7.7 [-2] Par Par 5.7 [-3] Par 7.5.1.6	TBD	✓
15.2.1.3	Helideck Status Lights (on UPS or Back-up Generator)	[-1] Par 7.5 [-2] Par 5.5 [-3] Par 7.5.1.5	[-3] Appendix 1 [-3] Appendix 3 Attachment 1 Par 3.1	✓
15.2.2	Long Term Electrical Failure			✓
15.2.2.1	NOTAM System	Helideck Limitations List (HLL), Helideck Info Plate, Helideck Operations Manual, NOTAM System.	[-3] Par 8.19.1.5	✓
15.2.2.2	Prohibited Landing Marker For Temporary Closure Of Helideck	[-3] Par 8.8	[-3] Par 8.8 [-3] Appendix 1 [-3] Appendix 3 Attachment 1 Par 5.2 [-3] Appendix 3 Attachment 3 Par 7 [-3] Appendix 3 Attachment 4	✓
15.2.3	Pilots Do Not Understand Lights			✓
15.2.3.1	NOTAM System	Helideck Limitations List (HLL), Helideck Info Plate, Helideck Operations Manual, NOTAM System.	[-3] Par 8.19.1.5	✓
15.2.3.2	Pilot Training	Helicopter Operator's Training Manual.	TBD	✓
15.2.3.3	Industry Engagement (HSAC)	TBD	TBD	✓

(#) Threat
(#.#) Control
(#.#.#) Escalation Factor
(#.#.#.#) Escalation Control

15.3	Illuminated Windsock To Provide Information on Wind Direction/Speed To Pilots		[-3] Par 7.6.2 [-3] Par 8.3.3 [-3] Par 8.12.2 [-3] Par 8.13 Windsock, Facility Maintenance Program,	[-3] Appendix 1 [-3] Appendix 3 Attachment 1 Par 2.1 & 3 [-3] Appendix 3 Attachment 2 [-3] Appendix 3 Attachment 4	✓
15.3.1	Damaged/Not Existing Windsock				✓
15.3.1.1	Routine Inspections And Maintenance		[-1] Chapter 7, [-2] Chapter 5. Helideck Operations Manual, Facility Maintenance Program.	[-3] Appendix 1 [-3] Appendix 3 Attachment 1 Par 2.1 & 3 [-3] Appendix 3 Attachment 2 [-3] Appendix 3 Attachment 4	✓
15.3.1.2	HLO To Provide Wind Information From Center Of Helideck Using Handheld Anemometer		Helideck Operations Manual, Facility Maintenance Program, Handheld Anemometer	TBD	N/A
15.3.2	Blocked Airflow To Windsock				✓
15.3.2.1	Installed Second Windsock To Assure Accurate Wind Information Can Be Obtained From All Directions		[-1] Par 9.1.2 Helideck Operations Manual, Facility Maintenance Program, Windsock (primary plus alternate if needed)	[-3] Appendix 3 Attachment 1 Par 2.1	✓
15.3.2.2	HLO To Provide Wind Information From Center Of Helideck Using Handheld Anemometer		Helideck Operations Manual, Facility Maintenance Program, Handheld Anemometer	TBD	N/A
15.3.2.3	Annual Helideck Inspection		Helideck Operations Manual, Annual Helideck Inspection Report	[-3] Par 11.4.4, [-3] Appendix 3 Attachment 4.	✓
15.3.3	Light Failure				✓
15.3.3.1	Routine Inspections and Maintenance		Helideck Operations Manual, Facility Maintenance Program.	[-3] Appendix 1	✓
15.3.3.2	Lighting Connected To Emergency Back-up Generator / UPS		[-1] Par 7.7 [-2] Par 5.7 [-3] Par 7.5.1.6	TBD	✓
15.3.3.3	HLO Procedure To Provide Wind Speed/Direction on 20 min/5 min call		Helideck Operations Manual, Air Operator's Ops Manual.	TBD	N/A

(#) Threat
(#.#) Control
(#.#.#) Escalation Factor
(#.#.#.#) Escalation Control


15.4	Helideck Equipped For Specific Environmental Conditions			[-1] [-2]	[-3] Par 7.3	✓
	15.4.1	Emergency Night Flight Requirement				✓
	15.4.1.1	Pilots Fly With Night Vision Goggles (NVG)	Helicopter Operator's Ops Manual, Helideck Operations Manual,	[-3] Par 7.5 TBD	✓	
	15.4.1.2	Pilot Night Currency, Including Offshore Landings	Helicopter Operator's Training Manual	TBD	✓	
	15.4.1.3	Use Of Helideck Illumination	[-1] Chapter 7 [-2] 6Chapter 5 Helideck Operations Manual	TBD	✓	
	15.4.1.4	Operational Risk Management Procedure	Helicopter Operator's Ops Manual	TBD	✓	
	15.4.2	EOC Not Properly Set				✓
	15.4.2.1	Weather Reporting (Prior and Upon Arrival)	[-1] Chapter 9, [-2] Par 6, [-3] Par 7.6.3, [-3] Par 7.6.4, Helideck Operations Manual, Helicopter Operator's Ops Manual	[-3] Par 7.6 [-3] Par 8.15	✓	
	15.4.2.2	Air Operator Comms/Ops Center Monitoring	TBD	TBD	✓	
	15.4.2.3	Pilot / HLO Cross Check	TBD	TBD	N/A	
	15.4.3	Unanticipated Squall-line				✓
	15.4.3.1	Use of Chocks	[-3] Par 9.13, [-3] Par 11.5.5, Helideck Operations Manual, Helicopter Operator's Ops Manual	[-3] Par 9.1, [-3] Par 9.3, [-3] Par 9.5, [-3] Par 9.10, [-3] Appendix 1, [-3] Appendix 3 Attachments 1 & 4.	✓	
	15.4.3.2	Tie-down Aircraft	[-1] Par 5.7 [-1] Par Annex C [-2] Par 3.5 [-3] Par 9.13, Helideck Operations Manual, Helicopter Operator's Ops Manual	[-3] Par 9.1, [-3] Appendix 1, [-3] Appendix 3 Attachments 1 & 4.	✓	

(#) Threat
(#.#) Control
(#.#.#) Escalation Factor
(#.#.#.#) Escalation Control

	15.4.3.3	Helicopter Departure Prior To Squall Arrival	Helideck Operations Manual, Facility MOPO, Helicopter Operator's Ops Manual	[-3] Par 7.2.4, [-3] Par 8.1, [-3] Par 8.15.1.3. [-3] Appendix 2 [-3] Appendix 3 Attachment 6 [-3] Appendix 3 Attachment 4.	✓
15.4.4	Foggy Conditions				✓
	15.4.4.1	Obstruction Lighting On Platform/Vessel	[-1] Par 7.6 [-2] Par 5.6 [-3] Par 7.5.1.3 [-3] Par 7.5.1.6 [-3] Par 8.3.3 Facility Maintenance Manual	[-3] Par 5.2.1.4, [-3] Par 7.2.7, [-3] Appendix 1, [-3] Appendix 3 Attachment 4.	✓
	15.4.4.2	Helideck Illumination	[-1] Chapter 7, [-2] Chapter 5, [-3] Par 7.5, [-3] Par 7.5.1.6, [-3] Par 9.13, Facility Maintenance Manual	[-3] Par 11.5, [-3] Appendix 1, [-3] Appendix 3 Attachments 1 & 4.	✓
	15.4.4.3	Air Operator Weather Minima	Helideck Operations Manual, Facility MOPO, Helicopter Operator's Ops Manual	[-3] Par 8.15.1.3	✓
	15.4.4.4	Planned Alternates/Return To Base Procedures	TBD	TBD	✓
15.5	Helideck Friction or Helideck Landing Net		[-1] Par 5.5, [-3] Par 7.3.1, [-3] Par 7.3.6,	[-3] Par 7.3.8, [-3] Par 10.2.3, [-3] Appendix 1, [-3] Appendix 3 Attachments 1 & 4	✓
	15.5.1	Inadequate Friction Coefficient On Helideck			✓
	15.5.1.1	Annual Helideck Surface Friction Test	[-1] Par 5.5, [-3] Par 7.3.1, [-3] Par 7.3.6, Helideck Inspection Report, Helideck Operations Manual.	[-3] Par 7.3.8, [-3] Par 10.2.3, [-3] Appendix 1, [-3] Appendix 3 Attachments 1 & 4	✓
	15.5.1.2	Routine Inspections And Maintenance	Helideck Operations Manual, Facility Maintenance Program.	[-3] Appendix 1, [-3] Appendix 3 Attachments 1 & 4	✓
	15.5.1.3	Installation Of Helideck Landing Net	[-3] Par 7.3.2, Helideck Operations Manual, Facility Maintenance Program.	[-3] Par 9.10 [-3] Par 10.3.2.3 [-3] Appendix 1, [-3] Appendix 3 Attachments 1 & 4	✓

(#) Threat
(#.#) Control
(#.#.#) Escalation Factor
(#.#.#.#) Escalation Control

15.6	AWOS/ASOS Information Remotely Accessible		[-1] Chapter 9 [-3] Par 7.6	[-3] Appendix 7	✓
15.6.1	Inadequate Information				✓
15.6.1.1	Back-up Equipment For Weather Reporting		[-3] Par 7.6.1.6. Facility Maintenance Manual	[-3] Appendix 1,	✓
15.6.1.2	HLO Weather Reporting Using Handheld Anemometer		TBD	TBD	N/A
15.6.1.3	Annual Weather System Equipment Calibration		[-1] Par 9.2.2 Facility Maintenance Manual	[-3] Appendix 3 Attachments 1 [-3] Appendix 7	✓
15.6.1.4	Periodic Cleaning Of Sensors		Facility Maintenance Manual	[-3] Appendix 3 Attachments 1 & 4 [-3] Appendix 7	✓
15.6.1.5	Verification Of Weather Information by HLO		TBD	TBD	N/A
15.6.2	Communication Problem				✓
15.6.2.1	Daily Check		[-3] Appendix 1. Helideck Operations Manual, VHF Radio.	[-3] Appendix 3 Attachment 1 Par 4.1 & 4.2	N/A
15.6.2.2	Alternative Reporting Procedures		Helideck Operations Manual, VHF Radio, Telephone, Internet Connection.	TBD	✓
15.6.2.3	NOTAM System		Helideck Limitations List (HLL), Helideck Info Plate, Helideck Operations Manual, NOTAM System.	[-3] Par 8.19.1.5	✓



Appendix 9: HSAC Helicopter Incident Bowtie

3.2. Consequences

Each Control could have one or more Escalation Factors that could render the Control ineffective, to prevent this from happening, Escalation Controls are put in place. The Escalation Factors and Escalation Controls are NOT shown in the graphical depiction of the Bow-Tie Consequence branch, but are shown in the table below using the following color coding:




Figure 25: Consequence - Helicopter Ditching in vicinity of Platform/Vessel

3.2.1. Helicopter Ditching in vicinity of Platform/Vessel

The consequence of a ditching of a helicopter near the facility where several factors can impact the outcome. The intent is minimizing damage/injuries/casualties.

		Safety Critical Equipment	Safety Critical Task	NUI
C1	Helicopter Ditching in vicinity of Platform/Vessel			
C1.1	Helicopter Equipment Fit Includes: Floats, Life Rafts, Emergency Locator/Transmitter (ELT), High-Back Crash Attenuating Seats, 4-pint Harnesses	TBD	TBD	✓

(C#) Consequence
(#. #) Control
(#. #. #) Escalation Factor
(#. #. #. #) Escalation Control

Appendix 9: HSAC Helicopter Incident Bowtie

C1.2	Aid/Medical Response To Helideck Crash In Accordance With Platform/Vessel ERP			Facility Emergency Response Drills Schedule, Emergency Response Plan, Helideck Operations Manual, Crash Box	[-3] Par 13.2 [-3] Par 13.6 [-3] Appendix 1, [-3] Appendix 3 Attachments 1 & 4	✓
C1.2.1	Failure Of Primary Comms Equipment					✓
	C1.2.1.1	Emergency Response Drills	Facility Emergency Response Drills Schedule, Emergency Response Plan, Helideck Operations Manual, Crash Box	[-3] Par 13.6, [-3] Par 13.7, [-3] Par 7.2.1, [-3] Appendix 3 Attachments 1 & 4	✓	
	C1.2.1.2	Back-Up Comms Systems	[-1] Chapter 11, [-3] Par 7.7.1. Helideck Operations Manual, Back-up VHF Radio.	[-3] Appendix 3 Attachment 1 Par 4.1 & 4.2	N/A	
	C1.2.1.3	Use CCTV Systems	TBD	TBD	✓	
C1.2.2	External Assistance Not Available Immediately					✓
	C1.2.2.1	Tier 1 Responder	TBD	TBD	✓	
	C1.2.2.2	Medics/Category 2 Site Assessment	TBD	TBD	N/A	
	C1.2.2.3	Emergency Response Drills	[-3] Chapter 12, Facility Emergency Response Drills Schedule, Emergency Response Plan, Helideck Operations Manual, [-3] Appendix 1	[-3] Par 13.5, [-3] Par 13.6, [-3] Par 13.7, [-3] Par 7.2.1, [-3] Appendix 3 Attachments 1 & 4	✓	
C1.2.3	Emergency Equipment Or Supplies Not Maintained On A Regular Basis					N/A
	C1.2.3.1	Emergency Equipment And Supplies Maintenance Program	Facility Maintenance Manual, Helideck Operations Manual, [-3] Appendix 1	[-3] Appendix 1, [-3] Appendix 3 Attachments 1 & 4	N/A	

(C#) Consequence
(#. #) Control
(#. #. #) Escalation Factor
(#. #. #. #) Escalation Control

Appendix 9: HSAC Helicopter Incident Bowtie

C1.2.4	Confusion During Emergency				✓
	C1.2.4.1	Major Emergency Management Training	[-3] Chapter 12 [-3] Par 13.6, Response Drills Schedule, Emergency Response Plan, Helideck Operations Manual	[-3] Par 13.5 [-3] Par 13.6, [-3] Par 13.7, [-3] Par 7.2.1, [-3] Appendix 3 Attachments 1 & 4	✓
	C1.2.4.2	Orientation Training	TBD	TBD	✓
	C1.2.4.3	Emergency Response Drills	[-3] Chapter 12, Facility Emergency Response Drills Schedule, Emergency Response Plan, Helideck Operations Manual, [-3] Appendix 1	[-3] Par 13.5, [-3] Par 13.6, [-3] Par 13.7, [-3] Par 7.2.1, [-3] Appendix 3 Attachments 1 & 4	✓
	C1.2.4.4	Implementation Of Incident Command System (ICS)	TBD	TBD	N/A
C1.2.5	Medical Unfitness				✓
	C1.2.5.1	Pre-Placement Medical Screening	TBD	TBD	✓
	C1.2.5.2	Fitness To Work Evaluation	TBD	TBD	✓
C1.2.6	Injured Personnel Not Accessible / Requires Rescue				✓
	C1.2.6.1	Emergency Response Drills	[-3] Chapter 12, Facility Emergency Response Drills Schedule, Emergency Response Plan, Helideck Operations Manual, [-3] Appendix 1	[-3] Par 13.5, [-3] Par 13.6, [-3] Par 13.7, [-3] Par 7.2.1, [-3] Appendix 3 Attachments 1 & 4	✓
	C1.2.6.2	Implementation Of Incident Command System (ICS)	TBD	TBD	N/A
	C1.2.6.3	Rescue Capabilities	TBD	TBD	✓
C1.2.7	Platform/Vessel Requires External Resources To Manage Medical Emergency				✓
	C1.2.7.1	Medical Transportation Contracts	TBD	TBD	✓
	C1.2.7.2	Remote Medical Advisory	TBD	TBD	✓
C1.3	Fast Rescue Boat/Craft Available at Platform/Vessel		TBD	TBD	N/A
	C1.3.1	FRB/FRC Not Available			N/A
	C1.3.1.1	Use of Life Boat	TBD	TBD	N/A
	C1.3.1.2	Procedures To Call-In Nearby Vessels For Assistance	TBD	TBD	N/A

(C#) Consequence
(#. #) Control
(#. #. #) Escalation Factor
(#. #. #. #) Escalation Control

Appendix 9: HSAC Helicopter Incident Bowtie

C1.4	Satellite Flight Following		TBD	TBD	✓
C1.4.1	Satellite Flight Following Not Available				✓
	C1.4.1.1	Procedure Radio Position Reporting Every 15 min	TBD	TBD	✓
C1.5	HUET Including Water Survival Provided To All Helicopter Occupants		HSAC RP 2004-06	HSAC RP 2004-06 [-3] Par 9.12 [-3] Par 12.7	✓
C1.5.1	No (Valid) HUET Training				✓
	C1.5.1.1	Assign Trained Buddy Seated Next To Untrained Individual	Helideck Operations Manual	[-3] Par 9.12.4.2	✓
	C1.5.1.2	Passenger Safety Briefing Video	Helideck Operations Manual, Passenger Safety Briefing Video	[-3] Par 9.12.4.2	✓
	C1.5.1.3	Prevent Untrained Individual To Sit Next To Emergency Egress Window	Helideck Operations Manual, Passenger Safety Briefing Video	[-3] Par 9.12.4.2	✓
C1.6	Life Jackets Worn By All Helicopter Occupants		Helideck Operations Manual, Passenger Safety Briefing Video	[-3] Par 9.1.1.	✓
C1.6.1	Life Jacket Not Worn By Passenger				✓
	C1.6.1.1	HLO/HDA Check	Helideck Operations Manual	[-3] Par 9.1.1.	N/A
	C1.6.1.2	Pilot Check	TBD	TBD	✓
	C1.6.1.3	Peer-To-Peer Check	TBD	TBD	✓
C1.7	Pax/Pilot(s) Wear Personnel Locating Beacon (PLB)		TBD	TBD	✓
C1.7.1	PLB Unserviceable				✓
	C1.7.1.1	Inspection and Maintenance Program	TBD	TBD	✓
	C1.7.1.2	Pre-Flight Check	TBD	TBD	✓
C1.8	Pax/Pilot(s) Wear Compressed Air - Emergency Breathing System (CA-EBS)		Helideck Operations Manual, Helicopter Operations Manual	[-3] Par 9.1.1. [-3] Par 9.12.4.2 [-3] Par 12.7	✓
C1.8.1	CA-EBS Not Serviceable				✓
	C1.8.1.1	Inspection and Maintenance Program	TBD	TBD	✓
	C1.8.1.2	Pre-Flight Check	Helideck Operations Manual,	[-3] Par 9.1.1.	✓

(C#) Consequence
(#. #) Control
(#. #. #) Escalation Factor
(#. #. #. #) Escalation Control

Appendix 9: HSAC Helicopter Incident Bowtie

	C1.8.2	CA-EBS Not Worn			✓
	C1.8.2.1	HLO/HDA Check	Helideck Operations Manual,	[-3] Par 9.1.1.	N/A
	C1.8.2.2	Pilot Check	TBD	TBD	✓
	C1.8.2.3	Peer-To-Peer Check	TBD	TBD	✓
C1.9	Pax/Pilot(s) Wear Immersion Suits		Helideck Operations Manual, Helicopter Operations Manual	[-3[-3] Par 9.1.1.	✓
	C1.9.1	Immersion Suit Not Worn			✓
	C1.9.1.1	Cold Water Restrictions For Flying Over Water <50F (15C)	TBD	TBD	✓
	C1.9.1.2	HLO/HDA Check	Helideck Operations Manual,	[-3] Par 9.1.1.	N/A
	C1.9.1.3	Pilot Check	TBD	TBD	✓
	C1.9.1.4	Peer-To-Peer Check	TBD	TBD	✓
	C1.9.2	Immersion Suit Not Serviceable			✓
	C1.9.2.1	Cold Water Restrictions For Flying Over Water <50F (15C)	TBD	TBD	✓
	C1.9.2.2	Inspection and Maintenance Program	TBD	TBD	✓
	C1.9.2.3	User Check Upon Receipt	TBD	TBD	✓
	C1.9.2.4	Back-up/Reserve Suits Available	TBD	TBD	✓
C1.10	Search And Rescue Service		Helideck Operations Manual,	[-3] Appendix 3 Attachment 6	✓
	C1.10.1	Service Not Available			✓
	C1.10.1.1	Standby Vessel	TBD	TBD	✓
	C1.10.1.2	Flight Restrictions	TBD	TBD	✓
C1.11	Cold Water Restrictions For Flying Over Water Colder Than 50 Degrees When Not Wearing Immersion Suits		TBD	TBD	✓
C1.12	Flight Restrictions When Sea State Exceeds Certification Limits Of Floats Installed In Aircraft Type		TBD	TBD	✓
C1.13	Use Of Approved Aircraft Types		TBD	TBD	✓

(C#) Consequence
(#.#) Control
(#.#.#) Escalation Factor
(#.#.#.#) Escalation Control

Appendix 9: HSAC Helicopter Incident Bowtie




Figure 26: Consequence - Helicopter Crashes on Helideck or Into Platform/Vessel Structure /w Fire/Loss Of Life

3.2.2. Helicopter Crashes on Helideck or Into Platform/Vessel Structure /w Fire/Loss Of Life

The consequence of a helicopter crashing onto the helideck or into the facility structure with fire and/or loss of life where several factors can impact the outcome. The intent is minimizing damage/injuries/casualties.

				Safety Critical Equipment	Safety Critical Task	NUI
C2	Helicopter Crashes on Helideck or Into Platform/Vessel Structure /w Fire/Loss Of Life					
	C2.1	Aid/Medical Response To Helideck Crash In Accordance With Platform/Vessel ERP		[-3] Chapter 12, Facility Emergency Response Drills Schedule, Emergency Response Plan, Helideck Operations Manual, [-3] Appendix 1	[-3] Par 13.5, [-3] Par 13.6, [-3] Par 13.7, [-3] Par 7.2.1, [-3] Appendix 3 Attachments 1 & 4	✓
	C2.1.1	Failure Of Primary Comms Equipment				✓
		C2.1.1.1	Emergency Response Drills	[-3] Chapter 12, Facility Emergency Response Drills Schedule, Emergency Response Plan, Helideck Operations Manual, [-3] Appendix 1	[-3] Par 13.5, [-3] Par 13.6, [-3] Par 13.7, [-3] Par 7.2.1, [-3] Appendix 3 Attachments 1 & 4	✓

(C#) Consequence
(#.#) Control
(#.#.#) Escalation Factor
(#.#.#.#) Escalation Control

Appendix 9: HSAC Helicopter Incident Bowtie

	C2.1.1.2	Back-Up Comms Systems	[-1] Chapter 11, [-3] Par 7.7.1. Helideck Operations Manual, Back-up VHF Radio.	[-3] Appendix 3 Attachment 1 Par 4.1 & 4.2	N/A
	C2.1.1.3	Use CCTV Systems	TBD	TBD	✓
C2.1.2	External Assistance Not Available Immediately				✓
	C2.1.2.1	Tier 1 Responder	TBD	TBD	✓
	C2.1.2.2	Medics/Category 2 Site Assessment	TBD	TBD	N/A
	C2.1.2.3	Emergency Response Drills	[-3] Chapter 12, Facility Emergency Response Drills Schedule, Emergency Response Plan, Helideck Operations Manual, [-3] Appendix 1	[-3] Par 13.5, [-3] Par 13.6, [-3] Par 13.7, [-3] Par 7.2.1, [-3] Appendix 3 Attachments 1 & 4	✓
C2.1.3	Emergency Equipment Or Supplies Not Maintained On A Regular Basis				N/A
	C2.1.3.1	Emergency Equipment And Supplies Maintenance Program	Facility Maintenance Manual, Helideck Operations Manual	[-3] Appendix 1, [-3] Appendix 3 Attachments 1 - 4	N/A
C2.1.4	Confusion During Emergency				✓
	C2.1.4.1	Major Emergency Management Training	[-3] Chapter 12 [-3] Par 13.6, Response Drills Schedule, Emergency Response Plan, Helideck Operations Manual	[-3] Par 13.5 [-3] Par 13.6, [-3] Par 13.7, [-3] Par 7.2.1, [-3] Appendix 3 Attachments 1 & 4	✓
	C2.1.4.2	Orientation Training	TBD	TBD	✓
	C2.1.4.3	Emergency Response Drills	[-3] Chapter 12, Facility Emergency Response Drills Schedule, Emergency Response Plan, Helideck Operations Manual, [-3] Appendix 1	[-3] Par 13.5, [-3] Par 13.6, [-3] Par 13.7, [-3] Par 7.2.1, [-3] Appendix 3 Attachments 1 & 4	✓
	C2.1.4.4	Implementation Of Incident Command System (ICS)	TBD	TBD	N/A

(C#) Consequence
(#. #) Control
(#. #. #) Escalation Factor
(#. #. #. #) Escalation Control

Appendix 9: HSAC Helicopter Incident Bowtie

C2.1.5 Medical Unfitness					✓
	C2.1.5.1	Pre-Placement Medical Screening	TBD	TBD	✓
	C2.1.5.2	Fitness To Work Evaluation	TBD	TBD	✓
C2.1.6 Injured Personnel Not Accessible / Requires Rescue					✓
	C2.1.6.1	Emergency Response Drills	[-3] Chapter 12, Facility Emergency Response Drills Schedule, Emergency Response Plan, Helideck Operations Manual, [-3] Appendix 1	[-3] Par 13.5, [-3] Par 13.6, [-3] Par 13.7, [-3] Par 7.2.1, [-3] Appendix 3 Attachments 1 & 4	✓
	C2.1.6.2	Implementation Of Incident Command System (ICS)	TBD	TBD	N/A
	C2.1.6.3	Rescue Capabilities	TBD	TBD	✓
C2.1.7 Platform/Vessel Requires External Resources To Manage Medical Emergency					✓
	C2.1.7.1	Medical Transportation Contracts	TBD	TBD	✓
	C2.1.7.2	Remote Medical Advisory	TBD	TBD	✓
C2.2	Spill Response And Containment		[-1] Par 4.6.3 [-2] Par 3.6 [-3] Par 7.3.1	[-3] Par 13.5.4, [-3] Par 13.5.9, [-3] Par 13.6.6.6.	✓
	C2.2.1	Legacy Facilities Do Not Have Spill Containment			✓
	C2.2.1.1	Provision Of Fuel Containment System	[-1] Par 4.6.3 [-2] Par 3.6 Facility Maintenance Manual, Helideck Operations Manual.	[-3] Appendix 3 Attachment 1, 2, 4	✓
	C2.2.1.2	Extended Spill Kit	Facility Maintenance Manual, Helideck Operations Manual.	[-3] Appendix 1 [-3] Appendix 3 Attachment 1, 2, 4 [-4] Appendix 4 Attachment 2	✓
	C2.2.2	Response Inadequate			✓
	C2.2.2.1	Emergency Response Drills	[-3] Chapter 12, Facility Emergency Response Drills Schedule, Emergency Response Plan, Helideck Operations Manual, [-3] Appendix 1	[-3] Par 13.5, [-3] Par 13.6, [-3] Par 13.7, [-3] Par 7.2.1, [-3] Appendix 3 Attachments 1 & 4	✓

(C#) Consequence
(#. #) Control
(#. #. #) Escalation Factor
(#. #. #. #) Escalation Control

Appendix 9: HSAC Helicopter Incident Bowtie

	C2.2.2.2	Platform/Vessel Emergency Response Plan (ERP)	Facility Emergency Response Plan, Helideck Operations Manual.	[-3] Par 13.2 [-3] Appendix 3 Attachments 1 & 4	N/A
	C2.2.2.3	Foam Application By Hand Line	[-1] Par B.1.2	[-3] Appendix 1, [-3] Appendix 3 Attachments 3, [-3] Appendix 5.	✓
	C2.2.2.4	Training Programs For Emergency Response Personnel	[-3] Chapter 12 [-3] Par 13.6, Response Drills Schedule, Emergency Response Plan, Helideck Operations Manual	[-3] Par 13.5 [-3] Par 13.6, [-3] Par 13.7, [-3] Par 7.2.1, [-3] Appendix 3 Attachments 1 & 4	✓
C2.3	Crashworthy Aircraft Design		TBD	TBD	✓
	C2.3.1	Impact Exceeds Design Limits For Helicopter			✓
	C2.3.1.1	Platform/Vessel Emergency Response Plan (ERP)	Facility Emergency Response Plan, Helideck Operations Manual.	[-3] Par 13.2 [-3] Appendix 3 Attachments 1 & 4	N/A
	C2.3.1.2	Foam Application Using Hand Line	[-1] Par B.1.2 [-2] Par 8.5, Helideck Operations Manual, Facility Maintenance Manual.	[-3] Appendix 1, [-3] Appendix 3 Attachments 3, [-3] Appendix 5.	✓
	C2.3.1.3	Spill Response Training & Equipment	[-3] Chapter 12, [-3] Par 13.9, Helideck Operations Manual, Facility Maintenance Manual.	[-3] Par 7.7.3.3, [-3] Par 12.4, [-3] Par 13.5.4, [-3] Par 13.5.9, [-3] Appendix 1, [-3] Appendix 5	✓
	C2.3.1.4	Complementary Fire Fighting Media	[-1] Par 4.6.5 [-1] Par 4.6.8 [-2] Par 8.4 [-2] Par 8.5	[-3] Appendix 1, [-3] Appendix 5.	✓
C2.4	Helideck Crash/Evacuation Training For Passengers		HSAC RP 2004-06	HSAC RP 2004-06 [-3] Par 9.12 [-3] Par 12.7	✓
	C2.4.1	Training Ineffective			✓
	C2.4.1.1	Fire Retardant Clothing Provides Protection For Limited Time	TBD	TBD	✓
	C2.4.1.2	Foam System to Provide Rescue Window/Blanket	[-1] Par B.1.2 [-2] Par 8.5, Helideck Operations Manual, Facility Maintenance Manual.	[-3] Appendix 1, [-3] Appendix 3 Attachments 3, [-3] Appendix 5.	✓

(C#) Consequence
(#.#) Control
(#.#.#) Escalation Factor
(#.#.#.#) Escalation Control

Appendix 9: HSAC Helicopter Incident Bowtie

	C2.4.1.3	Helideck Team CFR Training	[-3] Chapter 12 [-3] Par 13.6, Response Drills Schedule, Emergency Response Plan, Helideck Operations Manual	[-3] Par 13.5 [-3] Par 13.6, [-3] Par 13.7, [-3] Par 7.2.1, [-3] Appendix 3 Attachments 1 & 4	N/A
	C2.4.1.4	Helideck Team Drills/Exercises	[-3] Chapter 12, Facility Emergency Response Drills Schedule, Emergency Response Plan, Helideck Operations Manual, [-3] Appendix 1	[-3] Par 13.5, [-3] Par 13.6, [-3] Par 13.7, [-3] Par 7.2.1, [-3] Appendix 3 Attachments 1 & 4	N/A
	C2.4.1.5	CO2 Extinguisher and Axe Used By CFR Team To Gain Access To Push-Out Windows From The Outside	[-1] Par 4.6.5.2 [-2] Par 8.5	TBD	N/A
C2.4.2	Fire And Survival Clothing Inadequate				✓
	C2.4.2.1	Fire Retardant Clothing Provides Protection For Limited Time	TBD	TBD	✓
	C2.4.2.2	Foam System to Provide Rescue Window/Blanket	[-1] Par B.1.2 [-2] Par 8.5, Helideck Operations Manual, Facility Maintenance Manual.	[-3] Appendix 1, [-3] Appendix 3 Attachments 3, [-3] Appendix 5.	✓
	C2.4.2.3	Helideck Team CFR Training	[-3] Chapter 12 [-3] Par 13.6, Response Drills Schedule, Emergency Response Plan, Helideck Operations Manual	[-3] Par 13.5 [-3] Par 13.6, [-3] Par 13.7, [-3] Par 7.2.1, [-3] Appendix 3 Attachments 1 & 4	N/A
	C2.4.2.4	Helideck Team Drills/Exercises	[-3] Chapter 12, Facility Emergency Response Drills Schedule, Emergency Response Plan, Helideck Operations Manual, [-3] Appendix 1	[-3] Par 13.5, [-3] Par 13.6, [-3] Par 13.7, [-3] Par 7.2.1, [-3] Appendix 3 Attachments 1 & 4	N/A

(C#) Consequence
(#.#) Control
(#.#.#) Escalation Factor
(#.#.#.#) Escalation Control

Appendix 9: HSAC Helicopter Incident Bowtie

C2.5	Helideck Fire Fighting System		[-1] Par 4.6 [-1] Annex B [-2] Par 8.5 [-2] Annex A	[-3] Appendix 1, [-3] Appendix 3 Attachments 3, [-3] Appendix 5.	✓
C2.5.1	Fire Within Helicopter Not Accessible (Engine Compartment, Baggage, Etc.)				✓
	C2.5.1.1	Fire Piercing Nozzle	[-1] Par 4.6.5.2 [-2] Par 8.5	[-3] Par 9.1.3, [-3] Par 9.4 [-3] Par 13.4	N/A
	C2.5.1.2	Helideck Fire Fighting System And Equipment	[-1] Par 4.6 [-1] Annex B [-2] Chapter 8	[-3] Appendix 1, [-3] Appendix 3 Attachments 3, [-3] Appendix 5.	✓
	C2.5.1.3	Helideck Team Trained To Activate Fire Fighting System	[-3] Chapter 12 [-3] Par 13.6, Response Drills Schedule, Emergency Response Plan, Helideck Operations Manual	[-3] Par 13.5 [-3] Par 13.6, [-3] Par 13.7, [-3] Par 7.2.1, [-3] Appendix 3 Attachments 1 & 4	N/A
C2.5.2	Fire Fighting System Not Functional				✓
	C2.5.2.1	Inspection and Maintenance Program	[-1] Par 4.6 [-1] Annex B [-2] Chapter 8 [-2] Par 8.5, Helideck Operations Manual, Facility Maintenance Manual.	[-3] Appendix 1, [-3] Appendix 3 Attachments 3, [-3] Appendix 5.	✓
	C2.5.2.2	Annual Foam Test (Certificate)	Helideck Operations Manual, Facility Maintenance Manual, Annual Foam Test (Certificate)	[-3] Par 5.2.2.1, [-3] Appendix 1, [-3] Appendix 3 Attachment 4 and 5	✓
	C2.5.2.3	Monthly Test of System /w Water	Helideck Operations Manual, Facility Maintenance Manual,	[-3] Appendix 1, [-3] Appendix 5. TBD	N/A
	C2.5.2.4	Complementary Fire Fighting Equipment Available	[-1] Par 4.6.5 [-1] Par 4.6.8 [-2] Par 8.4 [-2] Par 8.5	[-3] Appendix 1, [-3] Appendix 5.	✓
	C2.5.2.5	100% Back-up Media Available	[-1] Par 4.6.5.3 [-2] Par 8.5	[-3] Appendix 3 Attachment 4	✓

(C#) Consequence
(#. #) Control
(#. #. #) Escalation Factor
(#. #. #. #) Escalation Control

Appendix 9: HSAC Helicopter Incident Bowtie

C2.5.3		Insufficient Fire Fighting Media			✓
C2.5.3.1	100% Back-up Media Available		[-1] Par 4.6.5.3 [-2] Par 8.5	[-3] Appendix 3 Attachment 4	✓
C2.5.3.2	Complementary Fire Fighting Equipment Available		[-1] Par 4.6.5 [-1] Par 4.6.8 [-2] Par 8.4 [-2] Par 8.5	[-3] Appendix 1, [-3] Appendix 5.	✓
C2.5.3.3	Inspection and Maintenance Program		[-1] Par 4.6 [-1] Annex B [-2] Chapter 8 [-2] Par 8.5, Helideck Operations Manual, Facility Maintenance Manual.	[-3] Appendix 1, [-3] Appendix 3 Attachments 3, [-3] Appendix 5.	✓
C2.5.4		Fire Fighting Media Can Not Reach Fire Source			✓
C2.5.4.1	Foam Hand lines		[-1] Par B.1.2 [-2] Par 8.5, Helideck Operations Manual, Facility Maintenance Manual.	[-3] Appendix 1, [-3] Appendix 3 Attachments 3, [-3] Appendix 5.	✓
C2.5.4.2	Complementary Fire Fighting Media Available		[-1] Par 4.6.5 [-1] Par 4.6.8 [-2] Par 8.4 [-2] Par 8.5	[-3] Appendix 1, [-3] Appendix 5.	✓
C2.5.4.3	CO2 Extinguisher /w Long Lance Available for Engine Fire		[-1] Par 4.6.5.2 [-2] Par 8.5	TBD	✓
C2.6	Crash-Fire Rescue Team Trained And Available During All Helideck Operations		[-3] Chapter 12 [-3] Par 13.6, Response Drills Schedule, Emergency Response Plan, Helideck Operations Manual	[-3] Par 13.5 [-3] Par 13.6, [-3] Par 13.7, [-3] Par 7.2.1, [-3] Appendix 3 Attachments 1 & 4	✓
C2.6.1		CFR Team Impaired By Incident			✓
C2.6.1.1	Automatic Fixed Fire System		[-1] Par 4.6.6.3 Facility Maintenance Manual	[-3] Appendix 3 Attachments 1 Par 12.5.4	✓
C2.6.1.2	Platform/Vessel Emergency Response Plan (ERP)		Facility Emergency Response Plan, Helideck Operations Manual.	[-3] Par 13.2 [-3] Appendix 3 Attachments 1 & 4	N/A
C2.6.1.3	Multiple Rescue Team Members		Facility Emergency Response Plan, Helideck Operations Manual.	[-3] Par 9.1 [-3] Par 13.5 thru 13.9	✓

(C#) Consequence
(#. #) Control
(#. #. #) Escalation Factor
(#. #. #. #) Escalation Control

Appendix 9: HSAC Helicopter Incident Bowtie

C2.6.2	CFR Team Unavailable At Location				✓
C2.6.2.1	Automatic Fixed Fire System	[-1] Par 4.6.6.3 Facility Maintenance Manual	[-3] Appendix 3 Attachments 1 Par 12.5.4		✓
C2.6.2.2	Modern Crashworthy Aircraft Design	TBD	TBD		✓
C2.6.2.3	Passenger Evacuation Training	HSAC RP 2004-06	HSAC RP 2004-06 [-3] Par 9.12 [-3] Par 12.7		✓
C2.6.2.4	Preflight Briefing On Aircraft Evacuation	Helideck Operations Manual, Passenger Safety Briefing Video	[-3] Par 9.12.4.2		✓
C2.6.2.5	Reduce Flight Activity	TBD	TBD		✓
C2.6.3	CFR Equipment Failure/Unavailable				✓
C2.6.3.1	Monthly Crash Box Inspection/Inventory	Helideck Operations Manual, Facility Maintenance Manual	[-3] Appendix 1, [-3] Appendix 3 Attachment 1		N/A
C2.6.3.2	Inspection and Maintenance Program	[-1] Par 4.6 [-1] Annex B [-2] Chapter 8 [-2] Par 8.5, Helideck Operations Manual, Facility Maintenance Manual.	[-3] Appendix 1, [-3] Appendix 3 Attachments 3, [-3] Appendix 5.		✓
C2.6.3.3	Annual Helideck Inspection	Helideck Operations Manual, Annual Helideck Inspection Report	[-3] Par 11.4.4, [-3] Appendix 3 Attachment 4.		✓
C2.6.3.4	Monthly Helideck Team Drills/Exercises	[-3] Chapter 12, Facility Emergency Response Drills Schedule, Emergency Response Plan, Helideck Operations Manual, [-3] Appendix 1	[-3] Par 13.5, [-3] Par 13.6, [-3] Par 13.7, [-3] Par 7.2.1, [-3] Appendix 3 Attachments 1 & 4		N/A
C2.7	Platform/Vessel Fire Teams Available For Back-up Support	TBD	TBD		N/A
C2.8	Medical Facilities (Medic, Sickbay) Available on Platform/Vessel. Medevac Carried Out Where Necessary	TBD	TBD		✓

(C#) Consequence
(#. #) Control
(#. #. #) Escalation Factor
(#. #. #. #) Escalation Control

Appendix 9: HSAC Helicopter Incident Bowtie




Figure 27: Consequence - Personnel Struck by Rotor Blades or Debris From Heavy Impact Landing

3.2.3. Personnel Struck by Rotor Blades or Debris From Heavy Impact Landing

The consequence of a rotor blade directly making contact with an individual or a departing tail- or main rotor blade due to heavy landing impact hitting an individual. The intent is minimizing damage/injuries/casualties.

				Safety Critical Equipment	Safety Critical Task	NUI
C3	Personnel Struck by Rotor Blades or Debris From Heavy Impact Landing					
C3.1	No Personnel Allowed On Helideck During Take-Off And Landing			Helideck Operations Manual	[-3] Par 9.1.1.	✓
	C3.1.1	Passenger Did Not Understand Restrictions				✓
	C3.1.1.1	Posters/Signage In Passenger Waiting Room		Posters/Signage [-3] Par 9.12.2 Helideck Operations Manual	[-3] Par 13.3.2, [-3] Appendix 1, [-3] Appendix 3 Attachment 4	✓
	C3.1.1.2	Frangible Chains With Signage At Every Helideck Access/Egress Point		Frangible Chains and Signage, [-3] Par 9.12.1, Helideck Operations Manual	[-3] Par 13.3.2, [-3] Appendix 1, [-3] Appendix 3 Attachment 4	✓

(C#) Consequence
(#. #) Control
(#. #. #) Escalation Factor
(#. #. #. #) Escalation Control

Appendix 9: HSAC Helicopter Incident Bowtie

C3.2	HLO and HDAs Control Access To And Movement On Helideck And Direct Personnel To Access/Egress Zones			Helideck Operations Manual	[-3] Par 9.1.1.	N/A
	C3.2.1	Inadequate Access Control				✓
		C3.2.1.1	Helideck Team Training And Competency	Helideck Operations Manual	[-3] Chapter 12	N/A
		C3.2.1.2	Mandatory Helideck Manning Levels in HLO Manual	Helideck Operations Manual	[-3] Par 9.1	N/A
		C3.2.1.3	Segregation Of Passenger From Helideck Area	Helideck Operations Manual	[-3] Par 9.1.1.	✓
C3.3	Helicopter Safety Briefing Video Covers Behavior On Helideck			Helideck Operations Manual, Passenger Safety Briefing Video	[-3] Par 9.12.4	✓
	C3.3.1	Not Shown In Video				✓
		C3.3.1.1	HLO/Pilot Pre-Flight Briefing	Helideck Operations Manual	[-3] Par 9.12.4	N/A
		C3.3.1.2	Annual Helideck Inspection	Helideck Operations Manual, Annual Helideck Inspection Report	[-3] Par 11.4.4, [-3] Appendix 3 Attachment 4.	✓
C3.4	No One Allowed To Approach Helicopter Without Clearance			Helideck Operations Manual, Passenger Safety Briefing Video	[-3] Par 9.12.4 TBD	✓
	C3.4.1	Unknown Procedure				✓
		C3.4.1.1	Passenger Safety Briefing Video	Helideck Operations Manual, Passenger Safety Briefing Video	[-3] Par 9.12.4 TBD	✓
		C3.4.1.2	Helideck Team Oversight and Intervention	Helideck Operations Manual	[-3] Par 9.1.1.	N/A
C3.5	Trained And Qualified HLO And HDAs			Helideck Operations Manual	[-3] Chapter 12	N/A
	C3.5.1	Inadequate Training				N/A
		C3.5.1.1	Approved Helideck Team Training Courses	Helideck Operations Manual	[-3] Chapter 12	N/A
		C3.5.1.2	Helideck Team Training	Helideck Operations Manual	[-3] Chapter 12	N/A
		C3.5.1.3	Helideck Team On-The-Job-Training	Helideck Operations Manual	[-3] Chapter 12	N/A
		C3.5.1.4	Helideck Team Competency Assessment	Helideck Operations Manual	[-3] Chapter 12	N/A
		C3.5.1.5	Annual Helideck Inspection	Helideck Operations Manual, Annual Helideck Inspection Report	[-3] Par 11.4.4, [-3] Appendix 3 Attachment 4.	N/A

(C#) Consequence
(#.#) Control
(#.#.#) Escalation Factor
(#.#.#.#) Escalation Control

Appendix 9: HSAC Helicopter Incident Bowtie




Figure 28: Consequence - Helicopter Fire or Aviation Refueling Fire on Helideck

3.2.4. Helicopter Fire or Aviation Refueling Fire on Helideck

The consequence of a fire developing due to a helicopter incident, which could either be a fire started during engine start-up, a fire started due to a roll-over, crash or leak of the helicopter on the helideck or a fire that started during helicopter refueling. The intent is minimizing damage/injuries/casualties.

				Safety Critical Equipment	Safety Critical Task	NUI
C4	Helicopter Fire or Aviation Refueling Fire on Helideck					
	C4.1	Crash-Fire Rescue Team Trained And Available During All Helideck Operations		[-3] Chapter 12 [-3] Par 13.6, Response Drills Schedule, Emergency Response Plan, Helideck Operations Manual	[-3] Par 13.5 [-3] Par 13.6, [-3] Par 13.7, [-3] Par 7.2.1, [-3] Appendix 3 Attachments 1 & 4	✓
	C4.1.1	CFR Team Impaired By Incident				✓
		C4.1.1.1	Automatic Fixed Fire System	[-1] Par 4.6.6.3 Facility Maintenance Manual	[-3] Appendix 3 Attachments 1 Par 12.5.4	✓
		C4.1.1.2	Platform/Vessel Emergency Response Plan (ERP)	Facility Emergency Response Plan, Helideck Operations Manual.	[-3] Par 13.2 [-3] Appendix 3 Attachments 1 & 4	N/A
		C4.1.1.3	Multiple Rescue Team Members	Facility Emergency Response Plan, Helideck Operations Manual.	[-3] Par 9.1 [-3] Par 13.5 thru 13.9	✓

(C#) Consequence
(#. #) Control
(#. #. #) Escalation Factor
(#. #. #. #) Escalation Control

Appendix 9: HSAC Helicopter Incident Bowtie

C4.1.2	CFR Team Unavailable At Location				✓
C4.1.2.1	Automatic Fixed Fire System		[-1] Par 4.6.6.3 Facility Maintenance Manual	[-3] Appendix 3 Attachments 1 Par 12.5.4	✓
C4.1.2.2	Modern Crashworthy Aircraft Design		TBD	TBD	✓
C4.1.2.3	Passenger Evacuation Training		HSAC RP 2004-06	HSAC RP 2004-06 [-3] Par 9.12 [-3] Par 12.7	✓
C4.1.2.4	Preflight Briefing On Aircraft Evacuation		Helideck Operations Manual, Passenger Safety Briefing Video	[-3] Par 9.12.4.2	✓
C4.1.2.5	Reduce Flight Activity		TBD	TBD	✓
C4.1.3	CFR Equipment Failure/Unavailable				✓
C4.1.3.1	Monthly Crash Box Inspection/Inventory		Helideck Operations Manual, Facility Maintenance Manual	[-3] Appendix 1, [-3] Appendix 3 Attachment 1	N/A
C4.1.3.2	Inspection and Maintenance Program		[-1] Par 4.6 [-1] Annex B [-2] Chapter 8 [-2] Par 8.5, Helideck Operations Manual, Facility Maintenance Manual.	[-3] Appendix 1, [-3] Appendix 3 Attachments 3, [-3] Appendix 5.	✓
C4.1.3.3	Annual Helideck Inspection		Helideck Operations Manual, Annual Helideck Inspection Report	[-3] Par 11.4.4, [-3] Appendix 3 Attachment 4.	✓
C4.1.3.4	Monthly Helideck Team Drills/Exercises		[-3] Chapter 12, Facility Emergency Response Drills Schedule, Emergency Response Plan, Helideck Operations Manual, [-3] Appendix 1	[-3] Par 13.5, [-3] Par 13.6, [-3] Par 13.7, [-3] Par 7.2.1, [-3] Appendix 3 Attachments 1 & 4	N/A
C4.2	Helideck Fire Fighting System		[-1] Par 4.6 [-1] Annex B [-2] Par 8.5 [-2] Annex A	[-3] Appendix 1, [-3] Appendix 3 Attachments 3, [-3] Appendix 5.	✓
C4.2.1	Fire Within Helicopter Not Accessible (Engine Compartment, Baggage, Etc.)				✓
C4.2.1.1	Fire Piercing Nozzle		[-1] Par 4.6.5.2 [-2] Par 8.5	[-3] Par 9.1.3, [-3] Par 9.4 [-3] Par 13.4	N/A

(C#) Consequence
(#. #) Control
(#. #. #) Escalation Factor
(#. #. #. #) Escalation Control

Appendix 9: HSAC Helicopter Incident Bowtie

	C4.2.1.2	Helideck Fire Fighting System And Equipment	[-1] Par 4.6 [-1] Annex B [-2] Chapter 8	[-3] Appendix 1, [-3] Appendix 3 Attachments 3, [-3] Appendix 5.	✓
	C4.1.3	Helideck Team Trained To Activate Fire Fighting System	[-3] Chapter 12 [-3] Par 13.6, Response Drills Schedule, Emergency Response Plan, Helideck Operations Manual	[-3] Par 13.5 [-3] Par 13.6, [-3] Par 13.7, [-3] Par 7.2.1, [-3] Appendix 3 Attachments 1 & 4	N/A
C4.3	Spill Response And Containment		[-1] Par 4.6.3 [-2] Par 3.6 [-3] Par 7.3.1	[-3] Par 13.5.4, [-3] Par 13.5.9, [-3] Par 13.6.6.6.	N/A
	C4.3.1	Legacy Facilities Do Not Have Spill Containment			✓
	C4.3.1.1	Provision Of Fuel Containment System	[-1] Par 4.6.3 [-2] Par 3.6 Facility Maintenance Manual, Helideck Operations Manual.	[-3] Appendix 3 Attachment 1,2, 4	✓
	C4.3.2	Response Inadequate			✓
	C4.3.2.1	Emergency Response Drills	[-3] Chapter 12, Facility Emergency Response Drills Schedule, Emergency Response Plan, Helideck Operations Manual, [-3] Appendix 1	[-3] Par 13.5, [-3] Par 13.6, [-3] Par 13.7, [-3] Par 7.2.1, [-3] Appendix 3 Attachments 1 & 4	N/A
	C4.3.2.2	Platform/Vessel Emergency Response Plan (ERP)	Facility Emergency Response Plan, Helideck Operations Manual.	[-3] Par 13.2 [-3] Appendix 3 Attachments 1 & 4	N/A
	C4.3.2.3	Foam Application By Hand Line	[-1] Par B.1.2	[-3] Appendix 1, [-3] Appendix 3 Attachments 3, [-3] Appendix 5.	✓
	C4.3.2.4	Training Programs For Emergency Response Personnel	[-3] Chapter 12 [-3] Par 13.6, Response Drills Schedule, Emergency Response Plan, Helideck Operations Manual	[-3] Par 13.5 [-3] Par 13.6, [-3] Par 13.7, [-3] Par 7.2.1, [-3] Appendix 3 Attachments 1 & 4	✓
C4.4	Platform/Vessel Fire Teams Available For Back-up Support		TBD	TBD	N/A